

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 4763

DMA Code #2 1005

DMA Code #3 514

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	.5mg - 2mg
HOW TO TAKE	PO
USES	seizure disorder, panic disorder, anxiety, RLS, sleep terrors
SIDE EFFECTS	respiratory depression, dependancy, abuse, seizures
WARNINGS	can slow or stop your breathing

DRUG NAME	Atrovent HFA
GENERIC NAME	ipratropium bromide inhaled
DOSAGE RANGE	2 puffs inhaled qid up to 12 puffs/day max
HOW TO TAKE	inhale
USES	asthma exacerbation, mod-severe
SIDE EFFECTS	hypersensitivity rxn, anaphylaxis, bronchospasm
WARNINGS	Do not get this medication in your eyes.

DRUG NAME	Lipitor
GENERIC NAME	atorvastatin
DOSAGE RANGE	10mg - 80mg
HOW TO TAKE	PO
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	myopathy, tendon rupture, acute renal failure
WARNINGS	Do not take if you are pregnant or breastfeeding

DRUG NAME	Synthroid
GENERIC NAME	levothyroxine
DOSAGE RANGE	25mcg - 300mcg
HOW TO TAKE	PO
USES	hypothyroidism, TSH suppression
SIDE EFFECTS	thyrotoxicosis, adrenal insufficiency, HTN, seizures
WARNINGS	Should not be used to treat obesity

DRUG NAME	Neurontin
GENERIC NAME	gabapentin
DOSAGE RANGE	100mg - 400mg (CAP) 600mg - 800mg (TAB) 50mg per mL (SOL)
HOW TO TAKE	PO
USES	Partial seizures, neuropatic pain, fibromyalgia
SIDE EFFECTS	depression, anaphylaxis, respiration respiratory depression
WARNINGS	

DRUG NAME	Miralax
GENERIC NAME	polyethylene glycol 3350
DOSAGE RANGE	2 g/kg - 17g/day max
HOW TO TAKE	PO - dissolve in liquid
USES	osmotic laxative for relieving constipation
SIDE EFFECTS	nausea, cramping, flatulence, diarrhea, urticaria
WARNINGS	caution in elderly pts, caution if renal impairment

DRUG NAME	Tenormin
GENERIC NAME	atenolol
DOSAGE RANGE	25mg - 100mg
HOW TO TAKE	PO
USES	HTN, angina, migraines
SIDE EFFECTS	fatigue, depression, leg pain, lethargy, nausea
WARNINGS	Do not use if you have a heart condition

DRUG NAME	Ultram Motrin
GENERIC NAME	Framadol Ibuprofen
DOSAGE RANGE	200mg
HOW TO TAKE	PO
USES	NSAID for reducing pain/inflammation - fever
SIDE EFFECTS	dyspepsia, nausea, constipation, rash, headache
WARNINGS	

DRUG NAME	Novolog
GENERIC NAME	insulin aspart
DOSAGE RANGE	INJ - 100 units per mL
HOW TO TAKE	injection - IM
USES	DM
SIDE EFFECTS	hypoglycemia, rash, URI, weight gain, headache
WARNINGS	Never share injection pen, cartridge or syringe

DRUG NAME	Flexeril Haldol Colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	50mg - 300mg
HOW TO TAKE	PO
USES	emollient laxative for softening stool
SIDE EFFECTS	diarrhea, abdominal cramps, rash, bitter taste
WARNINGS	