

DMA CLASSROOM TRAINING TEST

NAME: John Thomas Gravatt

DATE: 4/08/2021

SCORE: _____

1. Where should medication keys be kept?

On Staff/DMA

2. T F PRN is an abbreviation for as needed or whenever necessary.
3. T F NPO is an abbreviation for by mouth
4. T F Prescription medication, including dietary supplements, or individual special medical procedures do not need to have a physician or dentist order.
5. T F Prescription medications are to be kept in the original pharmacy container which is labeled for a specific resident, and locked and refrigerated if required.
6. T F You should preset each resident's medication in order to save time.
7. If a resident can't swallow their medications and needs to be crushed, we need:
- a pill crusher
 - the resident to chew the pill
 - a physician's order
8. The medication administration record (MAR) contains the following information:
- the medication, the side effects, and time to be administered.
 - the medication, the dosage, the side effects
 - the medication, the dosage, label instructions for use, and time to be administered
 - the medication, dosage
9. The following information about each medication must be obtained before it is given:
- purpose of medication and therapeutic effect
 - unwanted side effects
 - any known drug interactions with drugs the resident is currently is taking
 - a and c
 - All of the above

1. The first part of the paper is devoted to a general discussion of the problem.

2. In the second part, we consider the case of a homogeneous medium.

3. The third part is devoted to the case of an inhomogeneous medium.

4. Finally, we discuss the results and give some conclusions.

5. The author wishes to thank the referee for his valuable remarks.

DMA CLASSROOM TRAINING TEST

10. T F When medication is removed from the pharmacy-labeled container, it must be administered to the resident immediately by the person removing the medication from the container.
11. T F The initials of the person who administers the medication, must be entered at the time the medication is given.

12. List the 6 rights of Medication Administration:

<u>Person/Patient</u>	<u>route</u>
<u>Dosage</u>	<u>time</u>
<u>Medication</u>	<u>documentation</u>

13. T F If the MAR is missing the initials of the staff who administered a medication and you cannot verify the medication was given, the resident's physician must be notified. This is a med error.
14. T F If the resident refuses to take their medication, you should record the refusal on EMAR and complete the Event report?
15. T F When a resident is going on a LOA (Leave of Absence), you should remove the meds from the bubble pack and place in another container and label the new container for the resident to take with him or her.
16. T F If a PRN medication is prescribed, you need to know what it is prescribed for, and the PRN medication can only be given for the reason it is prescribed.
17. T F When giving a PRN medication, record the reason for giving the PRN medication, follow-up with effectiveness one hour later, write a note that describes in detail what was observed.
18. T F Medication errors must be reported to the nurse and to the home manager. An event report must be completed.
19. T F It is important for the DMA to be familiar with the medications that is being administered to the residents. The DMA should also be familiar with common side effects.
20. T F It is not important for the DMA to be able to educate the resident about his or her medications.

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 _____

DMA Code #2 _____

DMA Code #3 _____

DRUG NAME	Strattera
GENERIC NAME	atomoxetine
DOSAGE RANGE	Adult; 10mg, 18mg, 25mg, 40mg, 60mg, 80mg, 100mg
HOW TO TAKE	By mouth or/and # PO
USES	ADHD, Narcolepsy
SIDE EFFECTS	Decreased libido, feeling sleepy, upset stomach.
WARNINGS	Suicidality

DRUG NAME	Marinol
GENERIC NAME	dronabinol
DOSAGE RANGE	2.5mg increase 2.5mg/dhy
HOW TO TAKE	PO or by mouth / capsule
USES	Anorexia, Nausea from chemo.
SIDE EFFECTS	Dizziness, drowsiness, confusion, stomach pain
WARNINGS	Seizures, tachycardia, withdrawal symptoms.

DRUG NAME	K-Dur Klar-C
GENERIC NAME	Potassium Chloride
DOSAGE RANGE	^{ER} 8mEq, 10mEq, Pwd ^{ER} : 20 mEq, 25 mEq per pkt
HOW TO TAKE	PO or by mouth and Intravenously if $K < 2.5 \text{ mEq/L}$
USES	Replaces lost potassium
SIDE EFFECTS	Stomach pain, nausea, vomiting, tingling in hands/feet.
WARNINGS	Severe throat irritation, chest pain, and severe vomiting

DRUG NAME	Propranolol hydrochloride Inderal LA
GENERIC NAME	Propranolol hydrochloride
DOSAGE RANGE	ER CAP: 60mg, 80mg, 120mg, 160mg
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

