

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 0622

DMA Code #2 1121

DMA Code #3 0423

DRUG NAME	Ability
GENERIC NAME	aripiprazole
DOSAGE RANGE	2mg, 5mg, 10mg, 15mg, 20mg, 30mg tab
HOW TO TAKE	By mouth every day
USES	Schizophrenia, Bipolar disorder, major depression
SIDE EFFECTS	allergic reaction, severe agitation, twitching, mask-like appearance
WARNINGS	Dementia-Related psychosis, suicidality

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5mg, 1mg, 2mg, IV 2mg per ml, 4mg per ml
HOW TO TAKE	By mouth or through IV
USES	anxiety, insomnia, status epilepticus, nausea/vomiting
SIDE EFFECTS	allergic reaction, slow or stop breathing, severe drowsiness
WARNINGS	concomitant opioid use, addiction, abuse, misuse, dependence

DRUG NAME	Advair Diskus
GENERIC NAME	fluticasone propionate/salmeterol inhaled
DOSAGE RANGE	100mg/50mg per blister, 250mg/50mg per blister, 500mg/50mg per blister
HOW TO TAKE	1 puff by mouth every 12 hours
USES	asthma, COPD
SIDE EFFECTS	allergic reaction, wheezing, fever, chest pain, tremor
WARNINGS	

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	tab 10mg, 20mg, 40mg, 80mg
HOW TO TAKE	take one tablet by mouth every day
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	allergic reaction, muscle weakness, trouble lifting arms
WARNINGS	

DRUG NAME	Loratadine
GENERIC NAME	Loratadine
DOSAGE RANGE	10mg tab
HOW TO TAKE	take one tablet by mouth daily
USES	allergy
SIDE EFFECTS	allergic reaction, fast heart rate severe head ache
WARNINGS	

DRUG NAME	Synthroid
GENERIC NAME	Levothyroxine
DOSAGE RANGE	25mcg, 50mcg, 75mcg, 100mcg, 125mcg, 150mcg, 175mcg, 200mcg
HOW TO TAKE	Take on tablet by mouth
USES	Hypothyroidism, TSH Suppression.
SIDE EFFECTS	Allergic Reaction, Fast heart beat, chest pain, shortness of breath
WARNINGS	Not for obesity/weight loss

DRUG NAME	Dilantin
GENERIC NAME	Phenytoin
DOSAGE RANGE	30mg tabs, 100mg tabs
HOW TO TAKE	Take on tablet by mouth
USES	Epileptics, Seizure seizure prophylaxis
SIDE EFFECTS	allergic reaction, slow or uneven heartbeats, skin rash,
WARNINGS	Cardiovascular Risk with Rapid infusion

DRUG NAME	Colace
GENERIC NAME	Docusate Sodium
DOSAGE RANGE	2-11yo 50-150mg Bymouth once a day 12yo and older 50-300mg twice daily
HOW TO TAKE	By mouth
USES	Stool softening
SIDE EFFECTS	Allergic Reaction
WARNINGS	

DRUG NAME	Toprol
GENERIC NAME	Metoprolol Succinate
DOSAGE RANGE	25mg, 50mg, 100mg, 200mg
HOW TO TAKE	By mouth
USES	Angina, heart failure
SIDE EFFECTS	allergic Reaction, Very slow heartbeats, light-headed
WARNINGS	Avoid abrupt cessation

DRUG NAME	Norco
GENERIC NAME	Hydrocodone/acetaminophen
DOSAGE RANGE	Tab 5mg/325mg, 7.5mg/325mg, 10mg/325mg
HOW TO TAKE	one tab by mouth daily
USES	renal dosing, hepatic dosing
SIDE EFFECTS	allergic reaction, noisy breathing, light-headed, liver problems
WARNINGS	Medication Error, Addiction, opioid, Respiratory Depression