

R. McCull

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 6798

DMA Code #2 1109

DMA Code #3 1217

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	TAB: 25mg, 50mg, 100mg, 200mg, 300mg, 400 mg
HOW TO TAKE	PO
USES	Schizophrenia, bipolar disorder (manic), renal dosing
SIDE EFFECTS	dizziness, feeling unsteady, or having trouble ^{reading} your base
WARNINGS	Dementia-Related Psychosis, Suicidality

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	TAB: 0.5mg, 1mg, 2mg; INT: 2mg per mL, 4mg per mL
HOW TO TAKE	by mouth or injection (IV)
USES	anxiety, insomnia, short term tx, status epilepticus
SIDE EFFECTS	sedation, dizziness, fatigue, amnesia, confusion
WARNINGS	Addiction, Abuse, and Misuse

DRUG NAME	Tenormin
GENERIC NAME	Atenolol
DOSAGE RANGE	TAB: 25mg, 50mg, 100mg
HOW TO TAKE	by mouth
USES	angina (chest pain), high blood pressure
SIDE EFFECTS	dizziness, feeling tired, depressed mood
WARNINGS	Sinus bradycardia, heart failure, cardiogenic shock

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	TAB: 0.5mg, 1mg, 2mg
HOW TO TAKE	by mouth
USES	seizure disorder, panic disorder, anxiety, ^{tourette's} syndrome
SIDE EFFECTS	drowsiness, fatigue, amnesia, asthenia, irritability
WARNINGS	dependence and withdrawal, addiction, abuse

DRUG NAME	Norco
GENERIC NAME	Hydrocodone/Acetaminophen
DOSAGE RANGE	TAB: 5mg/325mg, 7.5mg/325mg, 10mg/325mg
HOW TO TAKE	by mouth
USES	pain, moderate-mod, severe
SIDE EFFECTS	respiratory depression, central sleep apnea, abuse
WARNINGS	circulatory shock, paralytic ileus

DRUG NAME	Miralax
GENERIC NAME	Polyethylene glycol 3350
DOSAGE RANGE	17 ↓ less than 20 kg / 17 ↑ more than 20 kg
HOW TO TAKE	by mouth
USES	relieves constipation
SIDE EFFECTS	nausea, abdominal distension, cramping, flatulence
WARNINGS	GI obstruction, known or suspected

DRUG NAME	Levothyroxine
GENERIC NAME	Synthroid
DOSAGE RANGE	CAP: 13 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg
HOW TO TAKE	by mouth / inj
USES	hypothyroidism, TSH suppression, myxedema coma
SIDE EFFECTS	weight loss, diarrhea, insomnia, fever, headache, rash
WARNINGS	adrenal insufficiency insufficiency, thyrotoxicosis

DRUG NAME	Levetiracetam
GENERIC NAME	Levetiracetam
DOSAGE RANGE	TAB: 250 mg, 500 mg, 750 mg, 1000 mg; SOL: 100 mg per mL
HOW TO TAKE	by mouth
USES	partial seizures, juvenile myoclonic epilepsy
SIDE EFFECTS	headache, vomiting, infection, fatigue, anorexia, pain
WARNINGS	avoid abrupt withdrawal

DRUG NAME	Proventil
GENERIC NAME	albuterol inhaled
DOSAGE RANGE	MDI: 90 mcg per actuation
HOW TO TAKE	by mouth
USES	bronchospasm, asthma
SIDE EFFECTS	cough, bad taste, tremor, dizziness, nervousness, pain
WARNINGS	severe hypersens. to milk protein (DPI form)

DRUG NAME	ZUCOR
GENERIC NAME	Simvastatin
DOSAGE RANGE	TAB: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	constipation, vertigo, eczema, nausea, insomnia
WARNINGS	myopathy, unexplained elev. LFTs, active hepatic dz