

DMA TRAINING LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48] See slide 65 in DMA Packette

Mental Illness	Abilify Arivan Atrovent Fionase Flovent Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa			
Anxiety Disorders	Advair Discus Avent Fionase Flovent Loratadine Proventil			
Inhalers	Advair Discus Avent Fionase Flovent Loratadine Proventil			
Allergy / Asthma	Advair Discus Avent Fionase Flovent Loratadine Proventil			
Hyperlipidemia	Crestor Lipitor Zocor			
Statis	Crestor Lipitor Zocor			
Diabetes	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid			
Endocrine & Metabolic	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid			
Pain & Inflammation	Flexeril Motrin Norco Tylenol with Codeine Ultram			
Blood Pressure Meds	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin			
Gastrointestinal Disorder	Colace Miralax Prilosec Pronix Zantac			
Seizures	Dilantin Keppra Neurontin Topamax			

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 2621

DMA Code #2 1842

DMA Code #3 1998

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSE RANGE	TAB: 0.5mg, 1mg, 2mg, 5mg for seizure
HOW TO TAKE	orally
USES	Seizure disorder, panic disorder, anxiety, restless leg syndrome
SIDE EFFECTS	Some hepatic impairment, renal impairment, polymorphisms
WARNINGS	Respiratory depression, dependence, seizures, abuse

DRUG NAME	Topical
GENERIC NAME	Oxcarbazepine
DOSE RANGE	TAB: 150mg, 300mg, 600mg; susp: 300mg per 5ml; oral dose
HOW TO TAKE	Orally, renal
USES	Bipolar disorder; neuropathic neuralgia; seizure disorder; partial
SIDE EFFECTS	Depression, hypersensitivity to esterase, hypersensitivity, rash
WARNINGS	Suicidal ideation, anaphylaxis, hepatotoxicity

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSE RANGE	TAB: 25mg, 50mg, 100mg, 200mg, 300mg, 400mg
HOW TO TAKE	orally by mouth
USES	Schizophrenia, bipolar disorder, depression
SIDE EFFECTS	Electrolyte abnormalities (low potassium), bradycardia, orthostatic hypotension
WARNINGS	Suicidal ideation, dizziness, drowsiness, weight gain

DRUG NAME	Lithium
GENERIC NAME	Lithium
DOSE RANGE	CAP/TAB: 150mg, 300mg, 600mg; SOL: 300mg; CE TAB: 450mg per 5ml
HOW TO TAKE	CAP/TAB: By mouth increasing slowly; SOL: By mouth
USES	Bipolar disorder, bipolar depression, acute mania
SIDE EFFECTS	Thyroid, polyuria, polydipsia, weight gain
WARNINGS	Lithium toxicity, bradycardia, renal impairment

DRUG NAME	Invega
GENERIC NAME	Paliperidone
DOSE RANGE	ER TAB: 1.5mg, 3mg, long, 9mg
HOW TO TAKE	ER TAB or oral dose, hepatic dose
USES	Schizophrenia, schizoaffective disorder
SIDE EFFECTS	QT prolongation, arrhythmia, AV block, hypotension
WARNINGS	Not approved for dementia, altered psychosis, bradycardia, hypersensitive to risperidone, congenital long QT syndrome

