

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan ✓ Clozaril Depakote ✓ Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel ✓ Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine ✓ Proventil	Crestor Lipitor Zocor ✓	Apidra ✓ Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin ✓ Keppra Neurontin Topamax	Colace ✓ Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril ✓ Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 4462

DMA Code #2 8846

DMA Code #3 3251

DRUG NAME	Dilantin
GENERIC NAME	phenytoin
DOSAGE RANGE	100mg - 400mg
HOW TO TAKE	ER Cap, Chewable, liquid, IV
USES	Status Epilepticus, Seizure disorder, Seizure prophylaxis
SIDE EFFECTS	ventricular fibrillation, hypotension, Cardiovascular Collapse, nausea, vomiting, rash
WARNINGS	Cardiovascular risk with rapid infusion

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	5mg - 40mg
HOW TO TAKE	Tablet
USES	hypercholesterolemia, mixed dyslipidemia, hypertriglyceridemia type IV
SIDE EFFECTS	Myopathy, tendon rupture, pancreatitis, URI, headache, abdominal pain
WARNINGS	N/A

DRUG NAME	Apidra
GENERIC NAME	insulin glulisine
DOSAGE RANGE	0.5 - 1.5 units daily
HOW TO TAKE	Injection
USES	diabetes
SIDE EFFECTS	hypoglycemia, seizures, hypokalemia, injection site rash, myalgia, rash
WARNINGS	hypo N/A

DRUG NAME	ACE Lisinopril
GENERIC NAME	Hydra-zide lisinopril
DOSAGE RANGE	10-40 mg daily
HOW TO TAKE	Pill
USES	HTN, heart failure, MI acute, migraine headache
SIDE EFFECTS	anaphylactoid rxn, angioedema (head/neck) angioedema (intestinal)
WARNINGS	Fetal toxicity

DRUG NAME	Motrin
GENERIC NAME	ibuprofen
DOSAGE RANGE	1-2 tabs
HOW TO TAKE	Oral tab.
USES	Pain/inflammation
SIDE EFFECTS	GI bleed, GI perforation, GI ulcer, dyspepsia, nausea, abdominal pain.
WARNINGS	N/A

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	1-6 mg
HOW TO TAKE	Orally, IV
USES	insomnia, status epilepticus, anxiety, nausea/vomiting (chemo-relat.)
SIDE EFFECTS	respiratory depression, apnea, respiratory failure, sedation, dizziness, ataxia
WARNINGS	opoid use, addiction, dependence and withdrawal

DRUG NAME	Depakote
GENERIC NAME	Divalproex Sodium
DOSAGE RANGE	30-60 mg/kg/day / 250-500 mg BID
HOW TO TAKE	Orally
USES	Seizures, bipolar disorder, migraine, headache
SIDE EFFECTS	hepatotoxicity, pancreatitis, SIADH, headache, nausea, vomiting
WARNINGS	Hepatotoxicity, Fetal Risk, Pancreatitis

DRUG NAME	Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	50mg - 750mg daily
HOW TO TAKE	Orally
USES	Schizophrenia, bipolar disorder, anxiety
SIDE EFFECTS	Suicidal thoughts, depression, extrapyramidal sx
WARNINGS	Dementia Related psychosis, suicidality

DRUG NAME	Loratadine
GENERIC NAME	—
DOSAGE RANGE	10mg
HOW TO TAKE	pill or liquid
USES	allergy, chronic idiopathic urticaria
SIDE EFFECTS	broncho spasm, hepatotoxicity, anaphylaxis, drowsiness, fatigue, diarrhea
WARNINGS	N/A

DRUG NAME	Colace
GENERIC NAME	docusate Sodium
DOSAGE RANGE	50 - 300 mg daily
HOW TO TAKE	oral capsule
USES	stool softening
SIDE EFFECTS	diarrhea, abdominal cramps, throat irritation
WARNINGS	N/A