

Madison Jones

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48] See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 8812

DMA Code #2 5505

DMA Code #3 60690

DRUG NAME	Lithium
GENERIC NAME	Lithium
DOSAGE RANGE	150mg to 600 mg \approx 8 meq per 5 ml
HOW TO TAKE	pill/capsule
USES	Bipolar disorder
SIDE EFFECTS	weight gain, fatigue, rash, alopecia
WARNINGS	pregnancy, alcohol use, elderly

DRUG NAME	Keppra
GENERIC NAME	Levetiracetam
DOSAGE RANGE	250 mg to 1,000 mg T or 100 mg per ml
HOW TO TAKE	Tablet or Liquid
USES	Seizures/epilepsy
SIDE EFFECTS	depression, aggressive behavior
WARNINGS	pregnancy, psychiatric disorder

DRUG NAME	Colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	50 mg to 300 mg
HOW TO TAKE	tablet
USES	Softening stool
SIDE EFFECTS	abdominal cramps, rash
WARNINGS	acute abdomen, appendicitis

DRUG NAME	Flonase
GENERIC NAME	fluticasone propionate nasal
DOSAGE RANGE	1-4 actuations
HOW TO TAKE	squirt/spray in nose
USES	allergy
SIDE EFFECTS	glaucoma, adrenal compression
WARNINGS	cataracts, glaucoma, nasal wound

DRUG NAME	Lipitor
GENERIC NAME	atorvastatin
DOSAGE RANGE	10-80 mg
HOW TO TAKE	Tablet
USES	
SIDE EFFECTS	anaphylaxis, photosensitivity
WARNINGS	alcohol abuse, active hepatic

DRUG NAME	Toprol
GENERIC NAME	metoprolol Succinate
DOSAGE RANGE	Oral 25 mg to 200 mg
HOW TO TAKE	tablet by mouth
USES	migraine
SIDE EFFECTS	hepatitis, photosensitivity
WARNINGS	alcohol use, pregnancy 2nd or 3rd tri

DRUG NAME	Motrin
GENERIC NAME	ibuprofen
DOSAGE RANGE	1-6 tablets, 4-6 pm
HOW TO TAKE	by mouth, tablet
USES	pain, inflammation, fever
SIDE EFFECTS	stroke, anaphylaxis, bronchospasm
WARNINGS	elderly, stroke, dehydration

DRUG NAME	Synthroid
GENERIC NAME	levothyroxine
DOSAGE RANGE	25 mg to 300 mg
HOW TO TAKE	tablet taken by mouth
USES	hypothyroidism
SIDE EFFECTS	tremor, diarrhea, fever, headache
WARNINGS	elderly, pregnancy, myxedema coma

DRUG NAME	Halidol
GENERIC NAME	haloperidol
DOSAGE RANGE	—
HOW TO TAKE	—
USES	Brand discontinued in the U.S
SIDE EFFECTS	—
WARNINGS	—

DRUG NAME	Zantac
GENERIC NAME	famotidine
DOSAGE RANGE	1 tab to 2 tab
HOW TO TAKE	tablet taken by mouth
USES	relieving heartburn
SIDE EFFECTS	headache, dizziness, constipation
WARNINGS	hypersens to drug/class/compon