

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ] See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
<b>Seizures</b>	<b>Gastrointestinal Disorder Constipation</b>	<b>Blood Pressure Meds</b>	<b>Pain &amp; Inflammation</b>
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1014

DMA Code #2 0628

DMA Code #3 0923

DRUG NAME	Clozani /
GENERIC NAME	Clozapine
DOSAGE RANGE	Tablet 25mg, 50mg, 100mg, 200mg
HOW TO TAKE	Orally
USES	To treat Severe Schizophrenia
SIDE EFFECTS	Weight gain, Tremor, Fast heart rate, dry mouth
WARNINGS	Severe Neutropenia can lead to serious infection and death

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5mg, 1mg or 2mg
HOW TO TAKE	Orally
USES	To treat Seizure disorders
SIDE EFFECTS	drowsiness, depression, weakness, dizziness
WARNINGS	Concomitant use of benzodiazepines and opioids may result in profound sedation, respiratory depression coma, death

DRUG NAME	Tripleptal
GENERIC NAME	Oxcarbazepine
DOSAGE RANGE	600mg day given twice a day 150mg 300mg
HOW TO TAKE	Oral
USES	For anxiety bipolar
SIDE EFFECTS	Weakness, drowsiness, dizziness, headache
WARNINGS	Chest pain, change in amount of urine bloody stool

DRUG NAME	Flonase
GENERIC NAME	Fluticasone nasal
DOSAGE RANGE	
HOW TO TAKE	Nasal
USES	Relieve seasonal non allergic nasal symptoms
SIDE EFFECTS	hives, rash, feeling light headed swelling of your face
WARNINGS	Sores or ulcers inside your nose

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	Tablets, 10mg, 20mg, 40mg, 80mg
HOW TO TAKE	Orally once a day
USES	help to prevent strokes, heart attacks
SIDE EFFECTS	headaches, nausea, diarrhoea
WARNINGS	Do not take Lipitor if you are allergic to Atorvastatin

DRUG NAME	Levemir
GENERIC NAME	Insulin detemir
DOSAGE RANGE	10mg, 20mg, 40mg, 80mg
HOW TO TAKE	1 injection
USES	Lower cholesterol
SIDE EFFECTS	low blood sugar, weight gain, rash, itching
WARNINGS	If you are allergic to insulin detemir

DRUG NAME	Syntroid
GENERIC NAME	<del>propylthiouracil</del> <del>propylthiouracil</del> levothyroxine sodium
DOSAGE RANGE	
HOW TO TAKE	Inhaler shake the inhaler well for 5 seconds 2 hrs apart
USES	to control and prevent symptoms caused by asthma
SIDE EFFECTS	Headache, throat irritation, Stomach upset
WARNINGS	Tell your doctor if you have history of chest pain, seizures, Hypoid bone oss

DRUG NAME	Topamax
GENERIC NAME	<del>topamax</del> Topiramate
DOSAGE RANGE	200mg, 300mg, 400mg
HOW TO TAKE	Orally
USES	To prevent epileptic seizures migraine headache
SIDE EFFECTS	Tiredness, drowsiness, loss of coordination
WARNINGS	If you have allergic reaction, hives, difficult breathing

DRUG NAME	Prilosec
GENERIC NAME	Omeprazole magnesium
DOSAGE RANGE	
HOW TO TAKE	Orally
USES	To treat acid reflux, ulcers heartburn
SIDE EFFECTS	Headache or abdominal pain
WARNINGS	Avoid Alcohol

DRUG NAME	Tylenol with Codeine
GENERIC NAME	acetaminophen and codeine
DOSAGE RANGE	tablets 300mg, 300mg, 1 to 2 tablets every 4hr as needed
HOW TO TAKE	Orally
USES	To relieve moderate to severe pain
SIDE EFFECTS	Dry mouth, sweating, tremors lack of energy
WARNINGS	Can cause addiction overdose of death