

Dayna Dishman

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1737

DMA Code #2 1978

DMA Code #3 9532

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	TAB: 2mg, 5mg, 10mg, 15mg, 20mg, 30mg (Adult)
HOW TO TAKE	By Mouth
USES	For Schizophrenia, bipolar, Manic / Mix
SIDE EFFECTS	Serious (hypersensitivity, stroke, seizures) Common (Headache, anxiety, nausea)
WARNINGS	Dementia - Related Psychosis and suicidality

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	Tab: 0.5mg, 1mg, 2mg (Adult)
HOW TO TAKE	By Mouth
USES	Seizure & Panic disorders, anxiety, restless leg, ^{Strep throat, burning mouth} Confusional arousal
SIDE EFFECTS	Serious (abuse, seizures, respiratory) Common (drowsiness, dizziness, depression)
WARNINGS	Addiction, Abuse, Mis use, opioid use, Dependence and withdrawal

DRUG NAME	Flonase Allergy Relief
GENERIC NAME	Fluticasone Propionate Nasal
DOSAGE RANGE	(Adult) 2 actuation in each nostril
HOW TO TAKE	Spray in each nostril 1 time A Day.
USES	Relieving allergic symptoms
SIDE EFFECTS	Serious (Hypersensitivity, glaucoma) Common (Headache, URI, Nasal burning)
WARNINGS	No black box warnings.

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	TAB: 5mg, 10mg, 20mg, 40mg, 80mg (Adult)
HOW TO TAKE	By Mouth.
USES	Hypercholesterolemia, dyslipidemia, Renal dosing, Hepatic, ect
SIDE EFFECTS	Serious (Myopathy, Rhabdomyolysis, leukopenia) Common (URI, UTI, Headache, Vertigo)
WARNINGS	No Black box warnings

DRUG NAME	Glucophage
GENERIC NAME	Metformin
DOSAGE RANGE	Tab: 500mg, 850mg, 1000mg (Adult)
HOW TO TAKE	By Mouth
USES	Polycystic ovary Syndrome, Renal dosing, diabetes type 2
SIDE EFFECTS	Serious (lactic acidosis, hepatotoxicity, anemia) Common (diarrhea, vomiting, rash)
WARNINGS	Lactic Acidosis

DRUG NAME	Synthroid
GENERIC NAME	levothyroxine
DOSAGE RANGE	Tab: 25mg, 50, 75, 88, 100, 112, 125, 137, 150, 175, 200, 300 Mcg ^{90%}
HOW TO TAKE	By Mouth
USES	hypothyroidism, TSH suppression, renal dosing, hepatic dosing
SIDE EFFECTS	serious (CME, HTN, arrhythmia, seizure) common (Rash, Fever, anxiety, nausea)
WARNINGS	NOT For obesity / weight loss

DRUG NAME	Dilantin
GENERIC NAME	Phenylation
DOSAGE RANGE	30mg, 100mg per cap. / 50mg (chewable) / SUSP. 125mg per 5ml (Ad.)
HOW TO TAKE	By Mouth and Full glass of water (capsule or chewable)
USES	epileptics, seizure disorders
SIDE EFFECTS	serious (Cardiac arrest, withdrawal, lymphoma) common (nausea, Rash, insomnia)
WARNINGS	Cardiovascular Risk with Rapid Infusion

DRUG NAME	Zantac 360 Maximum strength
GENERIC NAME	Ramotidine
DOSAGE RANGE	1 Tab Max 2 Tabs 5-20mg (Adult)
HOW TO TAKE	10-60 min before meals, By mouth
USES	Renal dosing, hepatic dosing
SIDE EFFECTS	serious (AV block, CNS toxicity, anaphylaxis) common (Headache, dizziness, diarrhea)
WARNINGS	No Black box warnings

DRUG NAME	Toprol-XL
GENERIC NAME	Metoprolol Succinate
DOSAGE RANGE	Tab: 25mg, 50mg, 100mg, 200mg (Adult)
HOW TO TAKE	By Mouth
USES	angina, Heart Failure, Migraine, Renal dosing
SIDE EFFECTS	serious (CHF, heart block, hepatitis) common (fatigue, dizziness, Rash)
WARNINGS	Avoid Abrupt Cessation

DRUG NAME	NORCO
GENERIC NAME	hydrocodone / acetaminophen
DOSAGE RANGE	Tab: 5mg/325mg, 7.5mg/325mg, 10mg/325mg (Adult)
HOW TO TAKE	By Mouth
USES	Pain, Moderate to Severe Pain.
SIDE EFFECTS	serious (abuse, seizure, withdrawal) common (dizziness, nausea, constipation, Rash)
WARNINGS	Medication Error Risk, Addiction Abuse, Misuse, opioid Respiration Depression, Accidental Ingestion, withdrawal, Hepatotoxicity, Tolerant