

Rebecca
Miller

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 _____

DMA Code #2 _____

DMA Code #3 _____

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	tab: .5mg, 1mg, 2mg; Inj: 2mg per mL, 4mg per mL
HOW TO TAKE	by mouth, injection
USES	anxiety, insomnia
SIDE EFFECTS	dizziness, respiratory depression, fatigue, hypotension
WARNINGS	risks from concomitant opioid use; Addiction, abuse, & misuse fall risk; dependence & withdrawal reactions; overdose

DRUG NAME	Invega
GENERIC NAME	paliperidone
DOSAGE RANGE	ER Tab: 1.5mg, 3mg, 6mg, 9mg
HOW TO TAKE	by mouth, injection
USES	Schizophrenia; schizoaffective disorder
SIDE EFFECTS	headache; tachycardia; cough; weight gain; dizziness
WARNINGS	Dementia Related psychosis; overdose, fall risk

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5mg, 1mg, 2mg Tabs
HOW TO TAKE	by mouth
USES	Seizure disorder, panic disorder, anxiety
SIDE EFFECTS	drowsiness, fatigue, depression, impaired coordination
WARNINGS	Addiction, abuse, & misuse; dependence & withdrawal reactions; overdose; risks from concomitant opioid use; fall risk

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	Tab 25mg, 50mg, 100mg, 200mg, 300mg, 400mg
HOW TO TAKE	by mouth
USES	Schizophrenia, bipolar I disorder (mania & acute depressive)
SIDE EFFECTS	Suicidality, weight gain, dizziness, hypotension
WARNINGS	Dementia related by psychosis, suicidality; overdose fall risk

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	Tab: 250mg, 500mg, 750mg, 1000mg; SOL: 100mg per mL, Inj: Various
HOW TO TAKE	by mouth, injection, solution
USES	partial seizures, epilepsy
SIDE EFFECTS	depression, vomiting, infection, pain, psychosis
WARNINGS	Do not use if pregnant; avoid abrupt withdrawal

DRUG NAME	ZOCOR
GENERIC NAME	Simvastatin
DOSAGE RANGE	Tab: 5mg, 10mg, 20mg, 40mg, 80mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia, hypertriglyceridemia
SIDE EFFECTS	acute renal failure, constipation, nausea, vertigo
WARNINGS	Caution if pregnant, renal impairment, active hepatic disease

DRUG NAME	Flexeril (discontinued in us)
GENERIC NAME	cyclobenzaprine
DOSAGE RANGE	Tab: 5mg, 7.5mg, 10mg; ER Cap: 15mg, 30mg
HOW TO TAKE	by mouth
USES	muscle spasms, fibromyalgia
SIDE EFFECTS	drowsiness, MI, Stroke, fatigue, psychosis
WARNINGS	hypothyroidism, CHF, arrhythmias

DRUG NAME	Haldol
GENERIC NAME	haloperidol
DOSAGE RANGE	Tab: 0.5mg, 1mg, 2mg, 5mg, 10mg, 20mg
HOW TO TAKE	by mouth
USES	psychosis, tourette syndrome, agitation
SIDE EFFECTS	dystonia, hypotension, insomnia, lethargy, weight changes
WARNINGS	Dementia Related Psychosis

DRUG NAME	Lithium
GENERIC NAME	lithium carbonate
DOSAGE RANGE	Cap: 150mg, 300mg, 600mg; Tab: 300mg; ER Tab: 300mg, 400mg; Sol (8mg per 5mL)
HOW TO TAKE	by mouth, solution
USES	bipolar I disorder, schizoaffective disorder
SIDE EFFECTS	tremor, bradycardia, weight gain, diarrhea
WARNINGS	lithium toxicity

DRUG NAME	Depakote
GENERIC NAME	divalproex sodium
DOSAGE RANGE	Dr tab: 125mg, 250mg, 500mg
HOW TO TAKE	by mouth
USES	seizures, bipolar disorder, migraine headache prophylaxis
SIDE EFFECTS	suicidality, anaphylaxis, psychosis, nausea, headaches
WARNINGS	hepatotoxicity, increased hepatotoxicity risk in mitochondrial dz, fetal risk; pancreatitis