

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DRUG NAME	Invega
GENERIC NAME	Paliperidone
DOSAGE RANGE	6mg once in the Am
HOW TO TAKE	Swallow with liquid
USES	to treat schizophrenia and schizoaffective
SIDE EFFECTS	shaking, abnormal eye movements
WARNINGS	Fast heart-beat, drowsiness

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5 to 1 mg everyday
HOW TO TAKE	Can be taken with or without food
USES	can treat seizures, panic disorder
SIDE EFFECTS	paranoid or suicidal ideation
WARNINGS	slow breathing, impair memory

DRUG NAME	Lamictal
GENERIC NAME	Lamotrigine
DOSAGE RANGE	100-500 mg
HOW TO TAKE	tablet should be swallowed whole
USES	it can treat seizures and bipolar disorder
SIDE EFFECTS	Nausea, insomnia
WARNINGS	Runny nose, non-serious rash

DRUG NAME	Lithium
GENERIC NAME	Carbonate
DOSAGE RANGE	15 mg/kg/d
HOW TO TAKE	swallow with juice or water
USES	MOOD stabilizer
SIDE EFFECTS	Headache Headache, nausea or vomiting
WARNINGS	Dry mouth, Head tremors

DRUG NAME	Bisperidon
GENERIC NAME	Bisperidone
DOSAGE RANGE	25 mg
HOW TO TAKE	Can be taken with or without food
USES	Can treat bipolar disorder
SIDE EFFECTS	drowsing, dizziness
WARNINGS	nausea, weight gain

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	10-30 mg bit per day
HOW TO TAKE	can take with food can or swallow
USES	bipolar disorder
SIDE EFFECTS	nausea, vomiting
WARNINGS	stroke, heart failure

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	1-10 mg per day
HOW TO TAKE	can be take with or without food
USES	treat seizure disorders, Anxiety disorders
SIDE EFFECTS	muscle weakness, trouble swallowing
WARNINGS	Drowsiness, loss of coordination

DRUG NAME	Clozapil
GENERIC NAME	Clozapine
DOSAGE RANGE	25-50 mg per day
HOW TO TAKE	it dissolves in your mouth
USES	reduce suicidal behavior
SIDE EFFECTS	the weakness, fever
WARNINGS	dry mouth, headache

DRUG NAME	Depakote
GENERIC NAME	Sodium Valproate
DOSAGE RANGE	250 mg twice a day / 1000 mg a day
HOW TO TAKE	swallow whole can not be crushed chewed
USES	can treat seizures and bipolar disorder
SIDE EFFECTS	hair loss, blurred vision,
WARNINGS	ringing of the the ears

DRUG NAME	Haldol
GENERIC NAME	Haloperidol
DOSAGE RANGE	0.5 to 3mg/day 2 to 3 times a day
HOW TO TAKE	take 1 or 2 time without food
USES	Can treat certain type of mental disorders
SIDE EFFECTS	lightheadness, drowsiness
WARNINGS	headache, Dizziness