

Kelly
Grover

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydorchlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

DRUG NAME	Lithium
GENERIC NAME	Lithium
DOSAGE RANGE	150mg to 450mg
HOW TO TAKE	by mouth
USES	Bipolar / schizoaffective disorder
SIDE EFFECTS	Thromb, weight gain, seizures, coma, diabetes insipidus
WARNINGS	Lithium toxicity related to serum lithium levels and can be ^{occu} occur @ doses close to therapeutic development tx only if facility available for prompt accurate serum lithium determinations

DRUG NAME	Glonase
GENERIC NAME	Fluticasone Fluticasone propionate nasal
DOSAGE RANGE	one to two actuations in each nostril
HOW TO TAKE	through the nose (nostril) 1 to 2 actuations
USES	corticosteroid for relieving allergic rhinitis symptoms
SIDE EFFECTS	headaches, nasal burning, cough, vomiting
WARNINGS	anaphylaxis, hypercorticism (long term use), adrenal suppression (long term use)

DRUG NAME	Lipitor
GENERIC NAME	atorvastatin
DOSAGE RANGE	10mg to 80mg
HOW TO TAKE	hypercholesterolemia, mixed dyslipidemia, hypertriglyceridemia
USES	by mouth ^{type IV}
SIDE EFFECTS	UTI, headache, insomnia, pancreatitis, acute renal failure
WARNINGS	tendon rupture, leukopenia, diabetes mellitus

DRUG NAME	Levothyroxine
GENERIC NAME	Levothyroxine
DOSAGE RANGE	13mg to 300mg
HOW TO TAKE	by mouth
USES	hypothyroidism, TSH suppression, myxedema coma
SIDE EFFECTS	ringing, arrhythmia, appetite increase, tremor, weight loss
WARNINGS	Not for obesity / weight loss alone, or as a combo tx in thyroid pts dose within range of daily hormonal requirements, ineffective for weight loss; larger doses may cause serious or life-threatening toxicity, especially when in combo w/ sympathomimetic amines,

DRUG NAME	Sopamax
GENERIC NAME	Topiramate
DOSAGE RANGE	15mg to 400mg
HOW TO TAKE	by mouth
USES	seizures, migraine headaches, sleep-related eating disorder
SIDE EFFECTS	osteoporosis, anemia, hyperthermia
WARNINGS	dryness, fatigue, mood disturbance

DRUG NAME	Celace
GENERIC NAME	oleate Sodium
DOSAGE RANGE	50mg to 300mg
HOW TO TAKE	by mouth (ORAL)
USES	emollient laxative for softening stool
SIDE EFFECTS	diarrhea, rash, throat irritation, abdominal cramps
WARNINGS	none reported

DRUG NAME	Lisinopril
GENERIC NAME	Lisinopril
DOSAGE RANGE	5mg to 40mg
HOW TO TAKE	oral by mouth
USES	migraine headache, heart failure w/ reduced ejection fraction
SIDE EFFECTS	dizziness, renal failure, pancreatitis, URI, headache
WARNINGS	fatal toxicity may occur when drugs that act directly on the renin-angiotensin system are used in pregnancy. OK drug ASAAD table pregnancy table detected.

DRUG NAME	Norco
GENERIC NAME	Hydrocodone / Acetaminophen
DOSAGE RANGE	5mg to 325mg
HOW TO TAKE	oral (by mouth)
USES	pain, moderate - mod severe
SIDE EFFECTS	Seizures, Abuse, dizziness, Vomiting, Constipation, rash
WARNINGS	Medication Error Risk, Addiction, Abuse and Misuse, Respiratory Depression, Opioid Analgesic Rems

DRUG NAME	Depakote
GENERIC NAME	Divalproex Sodium
DOSAGE RANGE	125mg to 500mg
HOW TO TAKE	ORAL (by mouth)
USES	Partial Seizures, bipolar disorder
SIDE EFFECTS	Vomiting, insomnia, tremors, nausea
WARNINGS	fatal risk, pancreatitis, hepatotoxicity

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg to 30mg
HOW TO TAKE	by mouth or injection
USES	mood stabilizer
SIDE EFFECTS	Seizures, aspiration, hypersensitivity
WARNINGS	Suicidality, Dementia-related psychosis