

Chloe
Baxter

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48] See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Ioprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

DRUG NAME	Levothyroxine
GENERIC NAME	levothyroxine
DOSAGE RANGE	13mcg - 300 mcg
HOW TO TAKE	by mouth or injection
USES	hypothyroidism, TSH suppression, myxedema coma
SIDE EFFECTS	palpitations, nervousness, tremors, appetite
WARNINGS	Not for Obesity / Weight Loss

DRUG NAME	Topamax
GENERIC NAME	topiramate
DOSAGE RANGE	15mg - 200mg
HOW TO TAKE	By mouth
USES	partial seizures, migraines, headaches, sleep related
SIDE EFFECTS	dizziness, weight loss, fatigue, UKI
WARNINGS	anemia, hyperthermia, suicidality

DRUG NAME	Miralax
GENERIC NAME	Polyethylene Glycol 3350
DOSAGE RANGE	0.2g - 15g
HOW TO TAKE	by mouth
USES	Constipation
SIDE EFFECTS	nausea, cramping, diarrhea
WARNINGS	electrolyte disorders, laxative dependence

DRUG NAME	Lisinopril
GENERIC NAME	Prinivil
DOSAGE RANGE	2.5mg - 40mg
HOW TO TAKE	by mouth
USES	heart failure, MI acute, migraine headache
SIDE EFFECTS	dizziness, hypotension, headache, fatigue
WARNINGS	fetal toxicity

DRUG NAME	Norco
GENERIC NAME	hydrocodone / acetaminophen
DOSAGE RANGE	5mg - 325mg
HOW TO TAKE	by mouth
USES	pain - moderate to severe
SIDE EFFECTS	lightheadedness, sedation, vomiting
WARNINGS	Addiction, Abuse, misuse, Opioid Analgesic

REMS

DRUG NAME	Abilify
GENERIC NAME	Anipiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	by mouth or Injection
USES	mood stabilizer
SIDE EFFECTS	Seizures, hypersensitivity, aspiration
WARNINGS	Dementia Related psychosis, suicidality

DRUG NAME	Depakote
GENERIC NAME	Divalproex Sodium
DOSAGE RANGE	25mg - 500mg
HOW TO TAKE	by mouth
USES	partial seizures, bipolar disorder
SIDE EFFECTS	nausea, vomiting, insomnia, tremors
WARNINGS	fetal risk, hepatotoxicity, pancreatitis

DRUG NAME	Flonase
GENERIC NAME	Fluticasone Propionate
DOSAGE RANGE	2 actuations in each nostril
HOW TO TAKE	Inhalant
USES	for relieving allergic rhinitis symptoms
SIDE EFFECTS	nasal irritation, headache, vomiting, cough
WARNINGS	anaphylaxis, cataracts, adrenal suppression

DRUG NAME	Loratadine
GENERIC NAME	Claritin
DOSAGE RANGE	10mg
HOW TO TAKE	by mouth
USES	allergies
SIDE EFFECTS	fatigue, abdominal pain, drowsiness
WARNINGS	anaphylaxis, syncope, seizures

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg - 80mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	URI, headache, diarrhea, nausea
WARNINGS	myopathy, tendon rupture, pancreatitis