

## DMA TRAINING LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

<b>Mental Illness</b>	<b>Anxiety Disorders</b>	<b>Inhalers</b>	<b>Allergy / Asthma</b>	<b>Hyperlipidemia</b>	<b>Statis</b>	<b>Diabetes</b>	<b>Endocrine &amp; Metabolic</b>
Ability Ativan Clonazepam Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Arovent Flonase Flovent Lorazepam Proventil	Crestor Lipitor Zocor	Adair Asthma	Crestor Lipitor Zocor	Atorvastatin Rosuvastatin Simvastatin	Apidra Byetta Glucophage Glyburide Lantus Lemvir Levothyroxine Novolog Synthroid	
<b>Seizures</b>	<b>Gastrointestinal Disorder</b>	<b>Constipation</b>	<b>Blood Pressure Meds</b>	<b>Pain &amp; Inflammation</b>			
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac		HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram			

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DRUG NAME	Synthroid
GENERIC NAME	levothyroxine
DOSE RANGE	25mcg, 50mcg, 75mcg, 88mcg, 300mcg
HOW TO TAKE	PO
USES	hypothyroidism, TSH suppression
SIDE EFFECTS	arrhythmia, seizures, palpitations, tremors
WARNINGS	diabetes, pregnancy, thyrotoxicosis

DRUG NAME	Lantus
GENERIC NAME	insulin glargine
DOSE RANGE	100 units/ml
HOW TO TAKE	injection
USES	diabetes type 1 & 2
SIDE EFFECTS	hypoglycemia, anaphylaxis, hypokalemia
WARNINGS	hypoglycemic, infections, illness, stress

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSE RANGE	10mg, 20mg, 40mg, 80mg
HOW TO TAKE	PO
USES	hypercholesterolemia, hypertriglyceridemia
SIDE EFFECTS	headache, UTI, nausea, diarrhea
WARNINGS	myopathy, pregnancy, diabetes

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSE RANGE	0.5mg-5mg
HOW TO TAKE	PO
USES	seizure, panic, anxiety, restless leg, tourette
SIDE EFFECTS	dependence, seizure, slurred speech, constipation
WARNINGS	hepatic impairment, renal impairment, sleep apnea

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSE RANGE	Tab: 0.5mg, 1mg, 2mg / IV: 2mg/ml, 4mg/ml
HOW TO TAKE	PO, IV, IM
USES	anxiety, insomnia, nausea/vomiting, preop sedation
SIDE EFFECTS	renal failure, respiratory impairment
WARNINGS	renal failure, seizure, depression

DRUG NAME	Lidocaine
GENERIC NAME	lucidocaine / acetaminophen
DOSE RANGE	5mg/325mg, 10mg/325mg, PO
HOW TO TAKE	PO
USES	pain - moderate - severe
SIDE EFFECTS	respiratory depression, CNS depression, abuse
WARNINGS	abuse, sleep apnea, mental illness

DRUG NAME	Metho
GENERIC NAME	ibuprofen
DOSE RANGE	200mg, 400mg, 800mg
HOW TO TAKE	PO
USES	reducing pain, inflammation, fever
SIDE EFFECTS	ulcer, MI, stroke, GI bleeding
WARNINGS	pregnancy, recent MI, stroke rx, cardiac risk

DRUG NAME	Lisin
GENERIC NAME	5mg, 10mg
DOSE RANGE	5mg, 10mg
HOW TO TAKE	PO
USES	heart failure, MI, migraine
SIDE EFFECTS	dizziness, hypotension, renal failure
WARNINGS	pregnant, severe CHF, elderly

DRUG NAME	Prilosec
GENERIC NAME	omeprazole
DOSE RANGE	10mg, 20mg, 40mg
HOW TO TAKE	PO, 1x
USES	GERD, gastric ulcer, duodenal ulcer
SIDE EFFECTS	anaphylaxis, pancreatitis, renal impairment
WARNINGS	long-term use, high-dose use

DRUG NAME	Dilantin
GENERIC NAME	phenytoin
DOSE RANGE	Cap: 30mg, 100mg / chew: 125mg/5m
HOW TO TAKE	PO, IV, IM
USES	seizure, epilepsy
SIDE EFFECTS	cardiopathy, rash, vomiting, dizziness
WARNINGS	Adams-Stokes syndrome, hypotension, pregnant