

Courtney Nickerson

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

<b>Mental Illness Anxiety Disorders</b>	<b>Inhalers Allergy / Asthma</b>	<b>Hyperlipidemia Statins</b>	<b>Diabetes Endocrine &amp; Metabolic</b>
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
<b>Seizures</b>	<b>Gastrointestinal Disorder Constipation</b>	<b>Blood Pressure Meds</b>	<b>Pain &amp; Inflammation</b>
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

DRUG NAME	Miralax
GENERIC NAME	polyethylene Glycol 3350
DOSAGE RANGE	0.2g - 15g
HOW TO TAKE	by mouth
USES	Constipation
SIDE EFFECTS	Nausea, cramping, diarrhea
WARNINGS	electrolyte disorders, laxative dependence

DRUG NAME	Lisinopril
GENERIC NAME	Prinivil, Abrelis, Zestril
DOSAGE RANGE	2.5mg - 40mg
HOW TO TAKE	by mouth
USES	Heart failure, mlarate, migraine headache
SIDE EFFECTS	dizziness, hypotension, headache, fatigue
WARNINGS	fetal toxicity

DRUG NAME	Norco
GENERIC NAME	hydrocodone / acetaminophen
DOSAGE RANGE	5mg - 325mg
HOW TO TAKE	by mouth
USES	Pain - moderate to severe
SIDE EFFECTS	lightheadedness, sedation, vomiting, nausea
WARNINGS	Addiction, Abuse, misuse, opioid analgesic REMS

DRUG NAME	Depakote
GENERIC NAME	divalproex Sodium
DOSAGE RANGE	125mg - 500mg
HOW TO TAKE	by mouth
USES	partial seizures, bipolar disorder
SIDE EFFECTS	nausea, vomiting, tremors, insomnia
WARNINGS	hepatotoxicity, fetal risk, pancreatitis

DRUG NAME	Loratadine
GENERIC NAME	Claritin
DOSAGE RANGE	10mg
HOW TO TAKE	by mouth
USES	allergies
SIDE EFFECTS	Fatigue, abdominal pain, drowsiness
WARNINGS	anaphylaxis, <del>drug</del> syncope, seizures

DRUG NAME	Habilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	by mouth or injection
USES	mood stabilizer
SIDE EFFECTS	hypersensitivity, seizures, aspiration
WARNINGS	Dementia-Related Psychosis, suicidality

DRUG NAME	Flonase
GENERIC NAME	Fluticasone propionate nasal
DOSAGE RANGE	2 actuations in each nostril
HOW TO TAKE	Inhalent
USES	For relieving allergic rhinitis symptoms
SIDE EFFECTS	head ache, nasal irritation, vomiting, cough
WARNINGS	Anaphylaxis, cataracts, adrenal suppression

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg - 80mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	URI, headache, diarrhea, nausea
WARNINGS	myopathy, tendon rupture, pancreatitis

DRUG NAME	Levothyroxine
GENERIC NAME	Levothyroxine
DOSAGE RANGE	13mcg - 300mcg
HOW TO TAKE	by mouth or injection
USES	hypothyroidism, TSH suppression, myxedema coma
SIDE EFFECTS	palpitations, nervousness, tremor, appetite increase
WARNINGS	not for obesity/weight loss

DRUG NAME	Topamax
GENERIC NAME	Topiramate
DOSAGE RANGE	15mg - 200mg
HOW TO TAKE	by mouth
USES	partial seizures, migraine headaches, sleep-related
SIDE EFFECTS	irritability, weight loss, fatigue, URI
WARNINGS	Anemia, hyperthermia, suicidality