

DRUG NAME	Motrin	Brittany Grass Ducey
GENERIC NAME	Ibuprofen Advil	
DOSAGE RANGE	200mg - 600mg	
HOW TO TAKE	By mouth	
USES	as needed	
SIDE EFFECTS	Heart attack, Stroke, Stomach bleeding	
WARNINGS	Stomach bleeding, Heart attack, STROKE.	

DRUG NAME	Zantac
GENERIC NAME	Histamine, Ranitidine
DOSAGE RANGE	75mg - 150mg
HOW TO TAKE	By mouth
USES	as needed
SIDE EFFECTS	Heartburns
WARNINGS	Heart burn

DRUG NAME	Colance
GENERIC NAME	Docusate Sodium
DOSAGE RANGE	50mg - 100mg
HOW TO TAKE	By mouth
USES	daily
SIDE EFFECTS	Get better overtime, OR worsen?
WARNINGS	Rectal bleeding, Stomach pain, nausea.

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	By mouth,
USES	1mg - 150mL
SIDE EFFECTS	Seizures, Stroke, Trouble swallowing.
WARNINGS	Neuroleptic, High blood, weight gain.

DRUG NAME	Depakote
GENERIC NAME	Divalproex
DOSAGE RANGE	250mg - 500mg
HOW TO TAKE	By mouth
USES	once daily
SIDE EFFECTS	Liver damage, Stomach, dark urine, pale, stomach pain
WARNINGS	Liver damage, birth defects, Pancreas problem

DRUG NAME	Lisinopril	Battany Grass
GENERIC NAME	Prinivil	Dilley
DOSAGE RANGE	2.5 mg - 40mg	
HOW TO TAKE	By mouth	
USES	ones daily	
SIDE EFFECTS	Dizziness, Headache, Dry Cough, Tiredness	
WARNINGS	Birth defects, Kidney problems, Swelling	

DRUG NAME	Toprol	
GENERIC NAME	metoprolol ER	
DOSAGE RANGE	25mg - 200mg	
HOW TO TAKE	By mouth once daily	
USES	once daily	
SIDE EFFECTS	Dizziness, drop of heart rate, depression, diarrhea	
WARNINGS	overactive Thyroid, heart failure, diabetics	

DRUG NAME	Lantus	
GENERIC NAME	Solostar	
DOSAGE RANGE	10mg - 100mg	
HOW TO TAKE	Before bed	
USES	once daily	
SIDE EFFECTS	Weight gain, diarrhea, Infection, headache	
WARNINGS	Low blood sugar, Allergic reaction	

DRUG NAME	Novolog	
GENERIC NAME	Aspart, Humalog	
DOSAGE RANGE	76/30	
HOW TO TAKE	15 minutes before meals	
USES	Before or After meals	
SIDE EFFECTS	Low blood sugar, Headache, Back pain, Sore throat	
WARNINGS	Low blood sugar, Low potassium	

DRUG NAME	Tylenol with Codeine	
GENERIC NAME	Acetaminophen	
DOSAGE RANGE	30mg - 300mg	
HOW TO TAKE	By mouth	
USES	When needed for pain	
SIDE EFFECTS	Chest pain, drowsiness, stiff muscles	
WARNINGS	Slowed breathing, Liver failure	