

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 0611

DMA Code #2 0515

DMA Code #3 0925

DRUG NAME	proventil
GENERIC NAME	Albuterol sulfate
DOSAGE RANGE	0.63
HOW TO TAKE	2 inhalations every 4 to 6 hours
USES	2 times a day
SIDE EFFECTS	Nervousness, Shaking, headache, dryness in throat
WARNINGS	Allergic reactions are rare (seek medical attention)

DRUG NAME	Zocor
GENERIC NAME	simvastatin
DOSAGE RANGE	5-40 mg po qday
HOW TO TAKE	tablet form
USES	Used to lower levels of "bad" cholesterol
SIDE EFFECTS	confusion, Fever, weight gain, muscle pain etc
WARNINGS	Don't take on an empty stomach

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	2 to 6 mg/day given in divide doses
HOW TO TAKE	by mouth
USES	for sleep difficulty, anxiety
SIDE EFFECTS	Drowsiness, dizziness, headache, blurred vision
WARNINGS	Risks from concomitant uses with opioids

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	1600 mg/day
HOW TO TAKE	by mouth
USES	2x daily
SIDE EFFECTS	Headaches, feeling sleepy, throat itchy throat
WARNINGS	It is rare for a reaction, but if so seek medical help

DRUG NAME	Novolog
GENERIC NAME	Novo Analog Insulins
DOSAGE RANGE	0.2-0.6 unit/kg day
HOW TO TAKE	by mouth
USES	once a day
SIDE EFFECTS	low potassium in your blood, itching, Rash
WARNINGS	

DRUG NAME	Zantac
GENERIC NAME	ranitidine
DOSAGE RANGE	150 maximum strength
HOW TO TAKE	1 tablet by Mouth
USES	to treat ulcers of the Stomach
SIDE EFFECTS	Stomach pain, Dark urine, Dark chest pain
WARNINGS	Don't take on a empty stomach

DRUG NAME	Clozaril
GENERIC NAME	Clozapine
DOSAGE RANGE	25 mg
HOW TO TAKE	by mouth
USES	it is used to treat severe schizophrenia symptoms
SIDE EFFECTS	low blood pressure Fever
WARNINGS	Caution with history of seizure

DRUG NAME	Motrin
GENERIC NAME	Ibuprofen
DOSAGE RANGE	100 mg
HOW TO TAKE	by mouth when needed.
USES	pain reliever and fever reducer
SIDE EFFECTS	Dizziness, Stomach pain, heartburn
WARNINGS	Vision changes, shortness of breath

DRUG NAME	Tylenol with codeine
GENERIC NAME	Acetaminophen - ORAL
DOSAGE RANGE	15 mg to 60 mg
HOW TO TAKE	by mouth
USES	for headaches, pain's
SIDE EFFECTS	light headed, vomiting shortness of breath
WARNINGS	if you have head injury motrin could cause drowsiness

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10 mg
HOW TO TAKE	by mouth
USES	to lower cholesterol
SIDE EFFECTS	diarrhea, heartburn, gas, muscle pain
WARNINGS	Keep out of reach of children