

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

*Brittini Stone*

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 9574

DMA Code #2 5238

DMA Code #3 1703

DRUG NAME	Abilify
GENERIC NAME	aripiprazole
DOSAGE RANGE	Adults 2mg - 30mg
HOW TO TAKE	PO
USES	Schizophrenia, bipolar disorder, major depressive
SIDE EFFECTS	hypersensitivity, stroke, aspiration, seizures, syncope
WARNINGS	Black box warning hypersensitivity, stroke

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5 - 2 mg
HOW TO TAKE	PO
USES	Seizure, Panic disorder, Anxiety, Restless legs
SIDE EFFECTS	Respiratory depressions, dependency, suicidality, syncope
WARNINGS	Risk from concomitant opioid use, addiction, Abuse, and misuse

DRUG NAME	Flonase
GENERIC NAME	Fluticasone propionate nasal
DOSAGE RANGE	1-2 actuations in each nostril
HOW TO TAKE	↓ ↓
USES	<del>Allerg</del> Allergies
SIDE EFFECTS	headaches, anaphylaxis, cataracts, nasal burning
WARNINGS	hypersens to drug, unhealed nasal ulcer,

DRUG NAME	<del>Claritin</del> Claritin
GENERIC NAME	loratadine
DOSAGE RANGE	1 tab/cap
HOW TO TAKE	PO
USES	antihistamine for relieving allergic rhinitis
SIDE EFFECTS	bronchospasm, anaphylaxis, fatigue, headache, dry mouth
WARNINGS	hypersens to drug, if hepatic impairment

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg - 80 mg
HOW TO TAKE	PO
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	myopathy, tendon rupture, pancreatitis
WARNINGS	pregnancy, active hepatic, 65 yr or older

DRUG NAME	Euthyrox
GENERIC NAME	levothyroxine
DOSAGE RANGE	25 mcg - 200 mg
HOW TO TAKE	PO
USES	hypothyroidism, TSH suppression
SIDE EFFECTS	hypersensitivity, Palpitations, Angina, Seizures
WARNINGS	if diabetes mellitus, in elderly pts

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	250 mg - 3000 mg
HOW TO TAKE	PO
USES	Partial seizures, Juvenile myoclonic epilepsy
SIDE EFFECTS	depression, hostility, aggressive behavior
WARNINGS	Avoid abrupt withdrawal, caution if pregnancy

DRUG NAME	Prilosec
GENERIC NAME	Omeprazole
DOSAGE RANGE	10 mg - 40 mg
HOW TO TAKE	<del>PO</del> PO
USES	Gerd, Gastric ulcer, duodenal ulcer
SIDE EFFECTS	hypersensitivity, anaphylaxis, nausea, diarrhea
WARNINGS	if high dose use, if long-term use

DRUG NAME	Prinivil
GENERIC NAME	lisinopril
DOSAGE RANGE	2.5 mg - 80 mg
HOW TO TAKE	PO
USES	HTN, migraine, heart failure
SIDE EFFECTS	renal failure, hepatotoxicity, SIALAD
WARNINGS	Pregnancy, in elderly, severe CHF

DRUG NAME	Motrin IB
GENERIC NAME	ibuprofen
DOSAGE RANGE	OP
HOW TO TAKE	reduces pain inflammation (OP) renal, <del>renal</del>
USES	↓ ↓ ↘
SIDE EFFECTS	GI bleeding, GI ulcer, Stroke
WARNINGS	advanced renal dz, if recent MI, if stroke