

How to Register for an Epocrates Account

Objective: Register for Epocrates.com

User Security Access Requirements: Available to all staff


Beacon User Role: Available to all staff

Timeline: Should create an account upon initiating DMA certification training process.

How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>

You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.



Kaleb Stevens

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Celast Miralax Prilosec Ritonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

1/27 NO codes per Evie

DMA Code #1 _____

DMA Code #2 _____

DMA Code #3 _____

DRUG NAME	Levetiracetam
GENERIC NAME	Keppra
DOSAGE RANGE	250 - 1000mg
HOW TO TAKE	by mouth
USES	Seizures
SIDE EFFECTS	irritability, fatigue, vertigo, abpec
WARNINGS	withdrawal

DRUG NAME	Docusate Sodium
GENERIC NAME	Colace
DOSAGE RANGE	50 - 300mg
HOW TO TAKE	by mouth
USES	to help to soften stool
SIDE EFFECTS	diarrhea, rash, throat irritation
WARNINGS	fecal impaction, Appendicitis, acute Abdomen

DRUG NAME	Pantoprazole
GENERIC NAME	Protonix
DOSAGE RANGE	20 - 40mg
HOW TO TAKE	by mouth, Injection
USES	GERD, upper GI bleeding
SIDE EFFECTS	Headache, diarrhea, Abdominal pain
WARNINGS	Hypomagnesemia

DRUG NAME	Levothyroxine
GENERIC NAME	Synthroid
DOSAGE RANGE	25 - 300mcg
HOW TO TAKE	by mouth
USES	Hypothyroidism, TSH suppression
SIDE EFFECTS	Weight loss, insomnia, Anxiety
WARNINGS	Cardiovascular disease, Thyrotoxicosis

DRUG NAME	Quetiapine
GENERIC NAME	Seroquel
DOSAGE RANGE	25 - 400mg
HOW TO TAKE	by mouth
USES	Schizophrenia, Manic bipolar, anxiety
SIDE EFFECTS	Rash, headache, fatigue, nausea
WARNINGS	Suicide risk, dehydration, Psychosis

DRUG NAME	divaproex Sodium
GENERIC NAME	Depakote
DOSAGE RANGE	125-500mg
HOW TO TAKE	By mouth
USES	Seizures, bipolar disorders, migraines
SIDE EFFECTS	Headache, nausea, vomiting, dizziness
WARNINGS	bleeding risk, Abrupt withdrawal

DRUG NAME	Olanzapine
GENERIC NAME	Zyprexa
DOSAGE RANGE	2.5-20mg Injection: 5mg per ML
HOW TO TAKE	by mouth, Injection
USES	bipolar, schizophrenia, agitation, depression
SIDE EFFECTS	weight gain, back pain, constipation, insomnia
WARNINGS	Suicide, Seizure, dehydration

DRUG NAME	Fluticasone Propionate inhaled
GENERIC NAME	Flovent HFA
DOSAGE RANGE	44mcg-220mcg
HOW TO TAKE	Inhalant
USES	Asthma
SIDE EFFECTS	headache, throat irritation, cough
WARNINGS	active infection, glaucoma

DRUG NAME	Topiramate
GENERIC NAME	Topomax
DOSAGE RANGE	15-200mg
HOW TO TAKE	by mouth
USES	Seizures, Nightmares, Alcohol dependence
SIDE EFFECTS	bleeding, infection, taste changes, Tremors
WARNINGS	Suicidal ideation, depression, abrupt withdrawal

DRUG NAME	Paliperidone
GENERIC NAME	invega
DOSAGE RANGE	1.5mg-9mg
HOW TO TAKE	by mouth
USES	Schizophrenia, Schizoaffective disorder
SIDE EFFECTS	Headache, Sleep disorder, weight gain, Abdominal Pain
WARNINGS	Cardiovascular disease, psychosis, Parkinson disease