

Ashley Godin

**DMA TRAINING**  
**LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING**

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ] See slide 65 in DMA Packette

<b>Mental Illness Anxiety Disorders</b>	<b>Inhalers Allergy / Asthma</b>	<b>Hyperlipidemia Statins</b>	<b>Diabetes Endocrine &amp; Metabolic</b>
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
<b>Seizures</b>	<b>Gastrointestinal Disorder Constipation</b>	<b>Blood Pressure Meds</b>	<b>Pain &amp; Inflammation</b>
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 4582

DMA Code #2 8435

DMA Code #3 9001

<b>DRUG NAME</b>	ablify
<b>GENERIC NAME</b>	aripiprazole
<b>DOSAGE RANGE</b>	2 to 15 mg/ day
<b>HOW TO TAKE</b>	with or with out food
<b>USES</b>	mental mood disorders
<b>SIDE EFFECTS</b>	dizziness light headaches drowsines
<b>WARNINGS</b>	suicidal thoughts among children and young adults

<b>DRUG NAME</b>	ativan
<b>GENERIC NAME</b>	lorzapam
<b>DOSAGE RANGE</b>	2 to 6 mg/day
<b>HOW TO TAKE</b>	with or without food
<b>USES</b>	sleep difficulty
<b>SIDE EFFECTS</b>	loss of coordination head ache blurd vision
<b>WARNINGS</b>	can slow or stop your breathing

<b>DRUG NAME</b>	lipitor
<b>GENERIC NAME</b>	atOrvastatin
<b>DOSAGE RANGE</b>	10 or 20 mg /once daily
<b>HOW TO TAKE</b>	with glass of water
<b>USES</b>	help lower bad cholesterol and fats
<b>SIDE EFFECTS</b>	diarrhea up set stomatch muscle joint pain
<b>WARNINGS</b>	break down skeletal muscle tissue

<b>DRUG NAME</b>	zantac
<b>GENERIC NAME</b>	ranitidne
<b>DOSAGE RANGE</b>	150mg twice daily
<b>HOW TO TAKE</b>	1 tab by mouth with glass of water 30-60 min before meal
<b>USES</b>	treat users of stomatch an intestines
<b>SIDE EFFECTS</b>	stomach pain constipation loss appitite
<b>WARNINGS</b>	dark urine fever chills

<b>DRUG NAME</b>	nevrotin
<b>GENERIC NAME</b>	gabapentin
<b>DOSAGE RANGE</b>	1800 mg /daily
<b>HOW TO TAKE</b>	with or without food
<b>USES</b>	help manage certin epileptic seizers and relive pain
<b>SIDE EFFECTS</b>	loss cordination dizziness tierdness
<b>WARNINGS</b>	can cause life threating breathing problems

<b>DRUG NAME</b>	motrin
<b>GENERIC NAME</b>	ibuprofen
<b>DOSAGE RANGE</b>	200-400 mg
<b>HOW TO TAKE</b>	glass water
<b>USES</b>	headache minor pain
<b>SIDE EFFECTS</b>	up set stomach nausea
<b>WARNINGS</b>	vision changes shortness breath

<b>DRUG NAME</b>	synthroid
<b>GENERIC NAME</b>	levothyroxine
<b>DOSAGE RANGE</b>	100-125 mg
<b>HOW TO TAKE</b>	take on empty stomach with full glass of water
<b>USES</b>	to treat underactive thyroid
<b>SIDE EFFECTS</b>	eye pain limp walk
<b>WARNINGS</b>	increase sweating mental mood changes

<b>DRUG NAME</b>	loratadine
<b>GENERIC NAME</b>	claritin
<b>DOSAGE RANGE</b>	10 mg orally onceday
<b>HOW TO TAKE</b>	with or without food
<b>USES</b>	temporly relax syptoms of hay fever
<b>SIDE EFFECTS</b>	itchy runny nose sneezing
<b>WARNINGS</b>	dry mouth nervuosness

<b>DRUG NAME</b>	lithium
<b>GENERIC NAME</b>	carbonate
<b>DOSAGE RANGE</b>	1200mg perday
<b>HOW TO TAKE</b>	with water or juice
<b>USES</b>	bipolar disoder
<b>SIDE EFFECTS</b>	headache changes in appetite dry mouth
<b>WARNINGS</b>	sever nausea vomiting sever hanf tumors

<b>DRUG NAME</b>	clozaril
<b>GENERIC NAME</b>	clozapine
<b>DOSAGE RANGE</b>	12.5 1-2 times daily
<b>HOW TO TAKE</b>	glass water
<b>USES</b>	mentall blood disorders
<b>SIDE EFFECTS</b>	drowsiness light head
<b>WARNINGS</b>	restlessness dry mouth increase salivation