

Madison
Smith

Jackson
Home

DMA TRAINING LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48] See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan ✕ Clozaril Depakote Haldol Invega Klonopin ✕ Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent ✕ Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor ✕	Apidra Byetta Glucophage Glyburide Lantus ✕ Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra ✕ Neurontin Topamax ✕	Colace ✕ Miralex Prilosec Protonix Zantac	HCTZ (hydorchlorothiazide) Lisinopril Toprol ✕ Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 3210

DMA Code #2 7654

DMA Code #3 1014

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	Tab: 250mg, 500mg, 750mg, 1000mg; Sol: 100mg per ml
HOW TO TAKE	Inj: various by mouth or by injection
USES	partial seizures, juvenile myoclonic epilepsy, generalized tonic clonic seizures
SIDE EFFECTS	headache, increased BP, asthenia, vomiting, Fatigue, dizziness
WARNINGS	Caution if pregnancy, CrCl < 80, and and psychiatric disorder

DRUG NAME	Topamax
GENERIC NAME	topiramate
DOSAGE RANGE	Sprinkle cap: 15mg, 25mg Tab: 25mg, 50mg, 100mg, 200mg
HOW TO TAKE	by mouth
USES	partial seizures, Seizures, migraine, sleep related eating disorder
SIDE EFFECTS	dizziness, weight loss, fatigue, nausea, taste changes
WARNINGS	Caution with: alcohol use w/in lbs, depression, surgery, Severe respiratory dis.

DRUG NAME	Colace
GENERIC NAME	docusate Sodium
DOSAGE RANGE	2-11yo 50-150 mg/day / 12yo and older 50-300 mg per day
HOW TO TAKE	capsule by mouth
USES	constipation: stool softeners
SIDE EFFECTS	diarrhea, cramps, throat irritation, rash, electrolyte disorders
WARNINGS	Caution w/ appendicitis, mineral oil use, nausea & vomiting

DRUG NAME	Toprol
GENERIC NAME	Metoprolol Succinate
DOSAGE RANGE	ER TAB: 25mg, 50mg, 100mg, 200mg
HOW TO TAKE	tablet or liquid by mouth or or injection
USES	HTN, Angina, heart failure, migraine
SIDE EFFECTS	fatigue, dizziness, diarrhea, rash, depression, nightmares,
WARNINGS	Avoid Abrupt Cessation, caution w/ diabetes, pregnancy

DRUG NAME	Norco
GENERIC NAME	hydrocodone/acetaminophen
DOSAGE RANGE	tab: 5mg / 325mg, 7.5mg / 325mg, 10mg / 325mg
HOW TO TAKE	tab. by mouth
USES	moderate to severe pain
SIDE EFFECTS	dizziness, sedation, vomiting, Constipation, rash, vomiting, nausea
WARNINGS	Addiction, Abuse, Misuse, respiratory depression, medication error risk, accidental Ingestion.

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5mg - 2mg tab 2mg per mL, 4mg per mL Inj
HOW TO TAKE	tablet by mouth or injection
USES	anxiety, insomnia, status epilepticus, pre-operative Sedation
SIDE EFFECTS	dizziness, hypotension, fatigue, irritability, Sedation
WARNINGS	contraindications (on back)

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSAGE RANGE	.5mg - 2mg tab
HOW TO TAKE	tablet by mouth
USES	Seizure disorder, panic disorder, restless leg Syndrome, sleep ^{terrors}
SIDE EFFECTS	drowsiness, dizziness, depression, fatigue, amnesia, confusion
WARNINGS	risks from concomitant opioid use, addiction, Abuse, misuse, Dependence and withdrawal

DRUG NAME	Atriovent HFA
GENERIC NAME	ipratropium bromide inhaled
DOSAGE RANGE	MDI: 17 mcg per dose actuation / 12 puffs a day max
HOW TO TAKE	inhaler
USES	COPD, asthma, renal dosing, hepatic dosing
SIDE EFFECTS	bronchitis, dyspnea, nausea, influenza, dizziness, UTI
WARNINGS	caution with glaucoma, prostatic hypertrophy or bladder neck obstruction

DRUG NAME	Zocor
GENERIC NAME	simvastatin
DOSAGE RANGE	5mg, 10mg, 20mg, 40mg, 80mg tab
HOW TO TAKE	tablets
USES	hypercholesterolemia, mixed dyslipidemia,
SIDE EFFECTS	Caution w/ pregnancy, diabetes mellitus, alcohol abuse
WARNINGS	headache, abdominal pain, constipation, nausea, vertigo, UT

DRUG NAME	Lantus
GENERIC NAME	insulin glargine
DOSAGE RANGE	U-100 pen: 100 units per mL / U-100 vial 100 units per mL
HOW TO TAKE	Injection
USES	diabetes mellitus type 1 and 2
SIDE EFFECTS	hypoglycemia, injection site lipodystrophy, rash, headache
WARNINGS	caution if visual impairment, renal hepatic impairment and hypokalemia.