

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 _____

DMA Code #2 _____

DMA Code #3 _____

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2 tabs
HOW TO TAKE	orally 3 times daily
USES	mental / mood disorder
SIDE EFFECTS	Can decrease hallucinations and improve concentration
WARNINGS	may cause high blood pressure / depression

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	1-3 two to three times a day
HOW TO TAKE	orally or injections
USES	for anxiety
SIDE EFFECTS	Drowsiness, dizziness, weakness
WARNINGS	Can cause respiratory failure, redness, pain

DRUG NAME	Depakote
GENERIC NAME	divalproex Sodium
DOSAGE RANGE	30-60 mg/kg
HOW TO TAKE	orally
USES	Bipolar disorders, seizure's, headache / migraine
SIDE EFFECTS	drowsiness, vomiting, tremors, hair loss
WARNINGS	hepatotoxicity, fetal risk, pancreatitis

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5-5 mg po tid
HOW TO TAKE	orally
USES	treat seizure disorders, Panic disorders
SIDE EFFECTS	Swelling, difficulty breathing
WARNINGS	any sudden mood changes

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	150-750 mg/day po divided tid bid
HOW TO TAKE	orally
USES	mental mood disorders, Schizophrenia, bipolar disorder
SIDE EFFECTS	may cause high blood sugar
WARNINGS	Risk death in older adults with dementia

DRUG NAME	Hal dol
GENERIC NAME	haloperidol
DOSAGE RANGE	0.5 - 5mg po bid-tid.
HOW TO TAKE	orally
USES	To treat Schizophrenia, Schizoaffective disorders
SIDE EFFECTS	Serious movement disorder, dizziness
WARNINGS	Can cause uncontrolled muscle movements.

DRUG NAME	000 Clozaril
GENERIC NAME	Clozapine
DOSAGE RANGE	12.5mg, 25mg, 50mg, 100mg, 200mg. od. 125%
HOW TO TAKE	by mouth
USES	Schizophrenia
SIDE EFFECTS	drooling, drowsiness, headache, light headed
WARNINGS	may cause a condition that affects heart rhythm

DRUG NAME	Zyprexa
GENERIC NAME	Olanzapine
DOSAGE RANGE	Tab 2.5mg, 5mg, 7.5mg, 10mg, 15mg, 20mg 1:5mg per ml
HOW TO TAKE	po or lq
USES	treats Schizophrenia, bipolar, and depression
SIDE EFFECTS	upset stomach, dry mouth, constipation, weight gain
WARNINGS	high weight gain & high cholesterol.

DRUG NAME	Neurontin
GENERIC NAME	Gabapentin
DOSAGE RANGE	100mg, 200mg, 400mg Tab 600mg, 800mg
HOW TO TAKE	by mouth
USES	Prevent and control seizures
SIDE EFFECTS	drowsiness, dizziness, loss of coordination, sleep
WARNINGS	may make you dizzy or drowsy

DRUG NAME	Topamax
GENERIC NAME	Topiramate
DOSAGE RANGE	Sprinkle cap 15mg, 25mg, Tab 25mg, 50mg, 100mg, 200mg
HOW TO TAKE	by mouth
USES	Prevent and control seizures epilepsy
SIDE EFFECTS	sleepy, drowsy, loss of coordination
WARNINGS	may impair judgment.