

*Eyaurie
Simmons*

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan ✓ Clozaril Depakote Haldol Invega Klonopin ✓ Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa ✓	Advair Discus Atrovent Flonase Flovent Loratadine Proventil ✓	Crestor Lipitor ✓ Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog ✓ Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin ✓	Flexeril Motrin Norco Tylenol with Codeine Ultram ✓

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DRUG NAME	Fieveril
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	Ultram
GENERIC NAME	tramadol
DOSAGE RANGE	50 mg.
HOW TO TAKE	Swallow whole, do not crush, chew, or break down.
USES	used to treat moderate to severe pain
SIDE EFFECTS	constipation, nausea, vomiting, stomach pain, dizziness, itching
WARNINGS	Seizures have occurred in some people taking this drug

DRUG NAME	Lypreva
GENERIC NAME	olanzapine
DOSAGE RANGE	TAB 2.5mg, 5mg, 7.5mg, 10mg, 15mg, 20mg, INT 5mg per mL
HOW TO TAKE	injection into a muscle.
USES	used to treat symptoms of schizophrenia
SIDE EFFECTS	Severe dizziness, drowsiness or weakness
WARNINGS	Not approved for dementia-related psychosis

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	TAB 0.5mg, 1mg, 2mg, / INT 2mg per mL 4mg per mL
HOW TO TAKE	Swallow extended-release capsule whole, do not crush, chew, break or open
USES	used to treat anxiety disorders.
SIDE EFFECTS	Confusion, aggression, vision changes
WARNINGS	addiction Addiction, Abuse, misuse

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSAGE RANGE	TAB: 0.5mg, 1mg, 2mg
HOW TO TAKE	Swallow whole with a glass full of water.
USES	used to treat seizures, panic disorders,
SIDE EFFECTS	drowsiness, weak or shallow breathing, changes in mood or behavior.
WARNINGS	depression, coma, death

DRUG NAME	Novolog
GENERIC NAME	Insulin Aspart
DOSAGE RANGE	INS
HOW TO TAKE	ins injected under the skin or infusion into a vein.
USES	used to improve blood sugar in adults & children
SIDE EFFECTS	low blood sugar, weight gain, low potassium, swelling in hands & feet.
WARNINGS	N/A

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	TAB 10mg, 20mg, 40mg, 80mg
HOW TO TAKE	Used to treat high cholesterol & lower the risk of stroke.
USES	By mouth at the same time everyday with or without food.
SIDE EFFECTS	Joint pain, stuffy nose, sore throat, diarrhea, pain in arm & legs
WARNINGS	N/A

DRUG NAME	Proventil
GENERIC NAME	Albuterol Inhaled
DOSAGE RANGE	MET: 90 mcg per actuation
HOW TO TAKE	
USES	Used to treat or prevent bronchospasm in people with reversible obstructive airway disease.
SIDE EFFECTS	chest pain, vomiting, chest pain,
WARNINGS	N/A

DRUG NAME	Tenormin
GENERIC NAME	Atenolol
DOSAGE RANGE	TAB: 25mg, 50mg, 100mg
HOW TO TAKE	By mouth
USES	used to treat chest pain & high blood pressure.
SIDE EFFECTS	dizziness, feeling tired or in a depressed mood.
WARNINGS	may cause angina exacerbation

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	