

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 9574

DMA Code #2 5238

DMA Code #3 1763

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	orally
USES	Schizophrenia, Bipolar I, Major depressive, Autistic disorder, Tourette syndrome
SIDE EFFECTS	Anaphylaxis, dystonia, stroke, seizures, tachycardia, Pancreatitis
WARNINGS	Dementia related Psychosis

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	0.5mg - 2mg; IV: 2mg per mL 4mg per mL
HOW TO TAKE	orally; injection
USES	anxiety, insomnia, status epilepticus, delirium tremens
SIDE EFFECTS	respiratory depression, seizures, abuse, tachycardia, apnea
WARNINGS	Dependence & withdrawal, Addiction Abuse & misuse, risk concomitant <sup>opioid</sup> use

DRUG NAME	Depakote
GENERIC NAME	Divalproex sodium
DOSAGE RANGE	125mg - 500mg
HOW TO TAKE	orally
USES	Partial seizures, absence seizures, bipolar disorder acute manic
SIDE EFFECTS	Pancreatitis, hypothermia, aplastic anemia, bleeding, SIADH
WARNINGS	Hepatotoxicity, Fetal risk, Pancreatitis, Hepatotoxicity risk mitochondrial <sup>SZ</sup>

DRUG NAME	Haldol
GENERIC NAME	Haloperidol
DOSAGE RANGE	<del>injection orally, injection</del> 0.5 - 30mg
HOW TO TAKE	orally, injection
USES	treats schizophrenia
SIDE EFFECTS	Mood changes, Swollen gums, agitation, fever, seizure, tremors
WARNINGS	Cardiovascular Effects, tardive dyskinesia, hypersensitivity reactions

DRUG NAME	Invega
GENERIC NAME	Paliperidone
DOSAGE RANGE	1.5mg - 9mg
HOW TO TAKE	orally
USES	Schizophrenia, schizoaffective disorder, renal dosing, hepatic dosing
SIDE EFFECTS	AV block, seizures, neutropenia, anaphylaxis, dystonia, syncope, dysphagia
WARNINGS	Dementia-related Psychosis

DRUG NAME	Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	25mg - 400mg
HOW TO TAKE	orally
USES	Schizophrenia, bipolar disorder, bipolar acute depressive, generalized anxiety
SIDE EFFECTS	suicidality, dystonia, anaphylaxis, severe hypotension, seizures, stroke
WARNINGS	Dementia-Related Psychosis, suicidality

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	250mg - 1000mg - Tab Sol: 100mg Per ML; INJ: various
HOW TO TAKE	orally, injection, solution
USES	Partial seizures, juvenile myoclonic epilepsy, generalized tonic seizures
SIDE EFFECTS	depression, hostility, suicidality, leukopenia, angioedema, neutropenia
WARNINGS	unusual moods & behavior, hallucinations, skin rash, extreme drowsiness

DRUG NAME	Neurontin
GENERIC NAME	gabapentin
DOSAGE RANGE	Cap - 100mg - 400mg Tab - 600mg - 800mg Sol - 50mg Per ML
HOW TO TAKE	orally, solution
USES	Post-herpetic neuralgia, neuropathic pain, fibromyalgia, alcohol dependence
SIDE EFFECTS	ataxia, fever, tremor, dizziness, fatigue, diplopia, asthenia, somnolence
WARNINGS	Suicidality, anaphylaxis, Stevens-Johnson syndrome, respiratory depression

DRUG NAME	Flonase
GENERIC NAME	fluticasone Propionate nasal
DOSAGE RANGE	1 actuation in each nostril once <del>per</del> a day Max 2 actuations per adult
HOW TO TAKE	Nasal
USES	Nasal Polyp, Allergy
SIDE EFFECTS	Glaucoma, headache, bronchitis, nasal ulcer, abdominal pain, vomiting
WARNINGS	

DRUG NAME	Lantus
GENERIC NAME	insulin glargine
DOSAGE RANGE	100 units Per ML
HOW TO TAKE	Injection
USES	diabetes mellitus Type 1 & type 2
SIDE EFFECTS	anaphylaxis, myalgia, headache, influenza, pruritus, weight gain, rash
WARNINGS	