

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote <del>Haldol</del> Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus <del>Atrovent</del> Flonase Flovent Loratadine Proventil	Crestor <del>Lipitor</del> Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine <del>Nevolog</del> Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
<del>Dilantin</del> Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix <del>Zantac</del>	HCTZ (hydrochlorothiazide) Lisinopril <del>Toprol</del> Tenormin	Flexeril <del>Motrin</del> Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1737

DMA Code #2 1978

DMA Code #3 9532

DRUG NAME	Haldol
GENERIC NAME	Haloperidol
DOSAGE RANGE	0.5mg, 1mg, 2mg, 5mg, 10mg, 20mg
HOW TO TAKE	measure liquid, Take by mouth or inj.
USES	Treats schizophrenia
SIDE EFFECTS	Drowsiness, weight changes, insomnia
WARNINGS	Dementia - Related Psychosis

DRUG NAME	NOVOLOG
GENERIC NAME	INSULIN ASPART
DOSAGE RANGE	100units per mL, penfill, 100units per mL PENN, 100units per 100
HOW TO TAKE	Take under skin.
USES	DIABETES
SIDE EFFECTS	hypoglycemia, weight gain, headache.
WARNINGS	N/A

DRUG NAME	NGH in
GENERIC NAME	IBUPROFEN
DOSAGE RANGE	1-2 TABS, 400-600mg, or caps 120m
HOW TO TAKE	By mouth
USES	headaches, pain, inflammation
SIDE EFFECTS	<del>nausea</del> nausea, abdominal pain
WARNINGS	<del>kidney failure</del> kidney failure.

DRUG NAME	ZONTAC
GENERIC NAME	Ramotidine
DOSAGE RANGE	<del>100</del> 1 TAB 1-2 PM. 2 TABS given in 24 hour period.
HOW TO TAKE	By mouth
USES	preventing heart burn.
SIDE EFFECTS	headaches, dizziness, taste change.
WARNINGS	N/A

DRUG NAME	Dilantin
GENERIC NAME	Phenytoin
DOSAGE RANGE	epilep. 30mg, 100mg chewable, SUSP, 125mg per 5ml
HOW TO TAKE	oral, SUTURE
USES	<del>seizure</del> seizure.
SIDE EFFECTS	nausea, vomiting, confusion
WARNINGS	<del>cardiac</del> cardiac risk, rapid infusion

DRUG NAME	Atrovent
GENERIC NAME	Ipratropium Bromide inhaled
DOSAGE RANGE	<del>2000000</del> MDI 17mcg per actuation
HOW TO TAKE	MDI
USES	asthma
SIDE EFFECTS	dizziness, sinusitis,
WARNINGS	N/A

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg, 20mg, 40mg, 80mg
HOW TO TAKE	By mouth
USES	<del>cholesterol</del> hypercholesterolemia
SIDE EFFECTS	URI, headache, UTI
WARNINGS	N/A

DRUG NAME	<del>metoprolol</del> Toprol
GENERIC NAME	metoprolol succinate
DOSAGE RANGE	ER TABS 25mg 50mg 100mg 200mg
HOW TO TAKE	HTN
USES	headache, heart failure
SIDE EFFECTS	Dizziness, fatigue, rash
WARNINGS	avoid abrupt cessation.

DRUG NAME	NovoRapid
GENERIC NAME	insulin glulisine
DOSAGE RANGE	INS-100 units per ml
HOW TO TAKE	Injection
USES	diabetes mellitus
SIDE EFFECTS	hypoglycemia, rash, URI
WARNINGS	N/A

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	Tab- .5mg, 1mg, 2mg
HOW TO TAKE	Orally by mouth
USES	Seizure disorder, anxiety, restless leg syndrome
SIDE EFFECTS	drowsiness, depression, libido changes
WARNINGS	Addiction, Abuse, misuse