

Jaida  
Dickerson

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1227

DMA Code #2 1014

DMA Code #3 0327

Dilley  
Siddi Dickerson

DRUG NAME	keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	250mg, 500mg, 750mg, 1000mg, sol. 100mg, form. Inj
HOW TO TAKE	by mouth Injection
USES	particular seizures, juvenile myoclonic epilepsy
SIDE EFFECTS	Depression, psychosis
WARNINGS	

DRUG NAME	Depakote
GENERIC NAME	Divalproex Sodium
DOSAGE RANGE	10-15mg, 125mg, 250mg, 500mg
HOW TO TAKE	oral
USES	seizures, bipolar disorder, migraine headache
SIDE EFFECTS	headaches, alopecia, rash
WARNINGS	fetal risk, pancreatitis

DRUG NAME	Miralax
GENERIC NAME	polyethylene glycol 3350
DOSAGE RANGE	17g
HOW TO TAKE	oral in 4-8oz of liquid
USES	constipation relief
SIDE EFFECTS	nausea, diarrhea, abdominal distension, cramping
WARNINGS	may cause electrolyte disorder and laxative dependence

DRUG NAME	Zyprexa
GENERIC NAME	olanzapine
DOSAGE RANGE	5-10mg
HOW TO TAKE	oral
USES	Schizophrenia, bipolar, agitation
SIDE EFFECTS	stroke, seizures, weight gain, dizziness
WARNINGS	Dementia related psychosis

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5mg - 10mg
HOW TO TAKE	oral
USES	anxiety, insomnia, nausea/vomiting (chemo related)
SIDE EFFECTS	fatigue, confusion, irritability, appetite change
WARNINGS	addiction, risk from concomitant opioid use dependence and withdrawal reaction

DRUG NAME	Ability	Dilly Jada Dickerson
GENERIC NAME	Cripiprazole	
DOSAGE RANGE	2mg - 30mg	
HOW TO TAKE	by mouth	
USES	bipolar, schizophrenia, major depressive disorder	
SIDE EFFECTS	headaches, dizziness, vomiting, blurred vision, fatigue	
WARNINGS	Dementia related psychosis	

DRUG NAME	Zantac	
GENERIC NAME	famotide	
DOSAGE RANGE	10-20mg	
HOW TO TAKE	oral	
USES	Preventing and relieving heartburn	
SIDE EFFECTS	headaches, seizures, dizziness, constipation	
WARNINGS	may cause seizures and vitamin B <sub>12</sub> deficiency (long term use)	

DRUG NAME	Colace	
GENERIC NAME	docusate sodium	
DOSAGE RANGE	50-150mg	
HOW TO TAKE	oral	
USES	emollient laxative for softening stool	
SIDE EFFECTS	diarrhea, cramps, rash, throat, irritation	
WARNINGS	fetal harm	

DRUG NAME	Loratadine	
GENERIC NAME	Claritin	
DOSAGE RANGE	1 tab	
HOW TO TAKE	oral	
USES	allergy sx	
SIDE EFFECTS	drowsiness, fatigue, headache, abdominal pain	
WARNINGS	use short term during breastfeeding	

DRUG NAME	Toprol	
GENERIC NAME	metoprolol ER	
DOSAGE RANGE	25mg - 200mg	
HOW TO TAKE	By mouth once daily	
USES	once daily	
SIDE EFFECTS	Dizziness, drop of heart rate, depression, diarrhea	
WARNINGS	overactive Thyroid, heart failure, diabetics	