

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1

XMAS

DMA Code #2

Wotr

DMA Code #3

gift

DRUG NAME	Abilify
GENERIC NAME	aripiprazole
DOSAGE RANGE	2mg, 5mg, 10mg, 15mg, 20mg, 30mg
HOW TO TAKE	Oral
USES	Schizophrenia, bipolar, major depressive disorder
SIDE EFFECTS	weight gain, headache, dizziness, vomiting
WARNINGS	dementia-related psychosis, suicidality

DRUG NAME	Zyprexa
GENERIC NAME	Olanzapine
DOSAGE RANGE	5mg - 10mg
HOW TO TAKE	Oral
USES	bipolar, agitation, schizophrenia
SIDE EFFECTS	seizures, dizziness, stroke, weight gain
WARNINGS	Dementia-related psychosis

DRUG NAME	Zantac
GENERIC NAME	Famotidine
DOSAGE RANGE	10mg, 20mg
HOW TO TAKE	oral
USES	preventing and relieving heart burn
SIDE EFFECTS	dizziness, fatigue, drowsiness, constipation, stomach pain
WARNINGS	may increase your risk of developing pneumonia

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	5mg, 10mg, 20mg, 40mg, 80mg,
HOW TO TAKE	Oral
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	myopathy, pancreatitis
WARNINGS	hypothyroidism, caution of diabetes mellitus

DRUG NAME	Loratadine
GENERIC NAME	Claritin
DOSAGE RANGE	10mg
HOW TO TAKE	Oral
USES	Chronic idiopathic urticaria allergy
SIDE EFFECTS	drowsiness, fatigue, headaches
WARNINGS	Syncope, Seizures, thrombocytopenia

DRUG NAME	keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	250 mg, 500 mg, 750 mg, 1000 mg 100 mg per injection
HOW TO TAKE	oral, injection
USES	partial seizures, juvenile myoclonic, epilepsy
SIDE EFFECTS	depression, psychosis
WARNINGS	Tiredness or weakness may causes changes in mood

DRUG NAME	Colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	50 mg - 150 mg
HOW TO TAKE	Oral
USES	emollient laxative for softening stool
SIDE EFFECTS	abdominal pain or cramping, diarrhea, rash, throat irritation
WARNINGS	Don't give if have diarrhea

DRUG NAME	Miralax
GENERIC NAME	polyethylene glycol 3350
DOSAGE RANGE	17g
HOW TO TAKE	Oral in 4-8 oz of liquid
USES	constipation relief
SIDE EFFECTS	abdominal distension, nausea, cramping, diarrhea
WARNINGS	may cause laxative dependence electrolyte disorders

DRUG NAME	Motrin
GENERIC NAME	ibuprofen
DOSAGE RANGE	200 mg - 800 mg
HOW TO TAKE	Oral
USES	headache, muscular aches, toothache, menstrual cramps
SIDE EFFECTS	dizziness, drowsiness, constipation, vomiting
WARNINGS	vision changes, light headed, rapid weight gain

DRUG NAME	Tylenol with codeine
GENERIC NAME	acetaminophen
DOSAGE RANGE	325 mg
HOW TO TAKE	Oral
USES	analgesic for reducing pain, antipyretic for reducing fever
SIDE EFFECTS	constipation, vomiting, nausea, drowsiness, dizziness
WARNINGS	Cause serious or life threatening breathing problems.