

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 3225

DMA Code #2 8044

DMA Code #3 4721

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5 - 2 mg ; Inj: 2-4 mg per mL
HOW TO TAKE	by mouth
USES	anxiety, insomnia, epilepticus, nausea/vomiting
SIDE EFFECTS	dizziness, sedation, asthenia, amnesia
WARNINGS	Addiction, Abuse, misuse, dependence, withdrawal reactions

DRUG NAME	FloHase
GENERIC NAME	Fluticasone propionate nasal
DOSAGE RANGE	4-11 1 actuation in each nostril ; 12yo 1-2 actuation in each nostril
HOW TO TAKE	nasal
USES	relieving allergic rhinitis symptoms
SIDE EFFECTS	headache, nasal burning, nasal irritation, nausea
WARNINGS	

DRUG NAME	Lipitor
GENERIC NAME	Atrovastatin
DOSAGE RANGE	10, 20, 40, 80 mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia, cardiovascular ^{event} prevention
SIDE EFFECTS	URI, headache, diarrhea, UTI
WARNINGS	myopathy, tendon rupture, immune-mediated necrotizing myopathy

DRUG NAME	Byetta
GENERIC NAME	txnatide
DOSAGE RANGE	5-10 mcg per injection
HOW TO TAKE	
USES	diabetes mellitus, type 2
SIDE EFFECTS	nausea, vomiting, diarrhea, constipation
WARNINGS	hypersensitivity, anaphylaxis, angioedema, kidney injury

DRUG NAME	Zantac
GENERIC NAME	Famotidine
DOSAGE RANGE	1 tab by mouth every day 4 times a day
HOW TO TAKE	orally
USES	preventing/relieving heartburn
SIDE EFFECTS	headache, dizziness, constipation, diarrhea
WARNINGS	seizures, anaphylaxis, leukopenia

DRUG NAME	Norco
GENERIC NAME	hydrocodone / acetaminophen
DOSAGE RANGE	tab 5mg/325mg, 7.5mg/325mg, 10mg/325mg
HOW TO TAKE	by mouth
USES	Pain moderate - mod severe
SIDE EFFECTS	dizziness, sedation, nausea, vomiting, constipation
WARNINGS	medication error risk, addiction, abuse, respiratory depression

DRUG NAME	Neurontin
GENERIC NAME	gabapentin
DOSAGE RANGE	100 - 800 mg q, SOL 50mg per mL
HOW TO TAKE	by mouth 3 times daily
USES	Partial seizures, Post-herpetic neuralgia, neuropathic pain
SIDE EFFECTS	dizziness, somnolence, fatigue, fever, vomiting
WARNINGS	depression, suicidality, respiratory depression

DRUG NAME	Toprol
GENERIC NAME	metoprolol succinate
DOSAGE RANGE	ER tabs 25, 50, 100, 200 mg
HOW TO TAKE	by mouth 1x daily
USES	HTN, angina, heart failure, migraine
SIDE EFFECTS	diarrhea, fatigue, rash, dizziness
WARNINGS	Avoid abrupt cessation

DRUG NAME	Dilantin
GENERIC NAME	Phenytoin
DOSAGE RANGE	ER cap 30mg, 100mg; Chewable 50mg, Susp 125mg per 5mL
HOW TO TAKE	
USES	epileptics, seizure disorder, seizure prophylaxis
SIDE EFFECTS	nausea, vomiting, rash, nystagmus
WARNINGS	Cardiovascular risk with rapid infusion

DRUG NAME	Levemir
GENERIC NAME	Insulin detemir
DOSAGE RANGE	100 units per mL
HOW TO TAKE	Injection
USES	diabetes mellitus type 1 & 2
SIDE EFFECTS	URI, headache, back pain, hypoglycemia
WARNINGS	hypoglycemia, hypokalemia, anaphylaxis