

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	10 - 15 mg / day (recommended starting / target dose) ^{or} 2mg
HOW TO TAKE	w/ food or w/out ... crushed, split or chewed orally
USES	Schizophrenia
SIDE EFFECTS	nausea, memory loss, headache, blurry vision, anxiety
WARNINGS	increase suicidal, seizures, cause stroke, lower white blood cells

DRUG NAME	Zyprexa
GENERIC NAME	Olanzapine
DOSAGE RANGE	2.5 mg - 20 mg tabs
HOW TO TAKE	w/ food or w/out allow to dissolve w/out chewing orally
USES	Schizophrenia, bipolar disorder, depression
SIDE EFFECTS	drowsiness, dizziness, lightheadness, stomach upset, dryness
WARNINGS	heat stroke, mental / mood changes

DRUG NAME	Proventil
GENERIC NAME	Albuterol
DOSAGE RANGE	1 - 2 inh
HOW TO TAKE	put mouth piece in mouth and close lips
USES	prevent wheezing and shortness of breath
SIDE EFFECTS	nervousness, tremor, headache, mouththroat dry dryness etc
WARNINGS	

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10 - 80 mg
HOW TO TAKE	swallow tablet whole w/ food or w/out
USES	lower bad cholesterol and fats
SIDE EFFECTS	headaches, nausea, diarrhea, cold-like symptoms
WARNINGS	heartburn, gas, joint pain, memory loss, confusion

DRUG NAME	Byetta
GENERIC NAME	Exenatide
DOSAGE RANGE	5 - 10 mcg
HOW TO TAKE	injected subcutaneous in thigh, abdomen or upper arm
USES	control high blood sugar
SIDE EFFECTS	nausea, vomiting, diarrhea, nervousness, upset stomach
WARNINGS	decreased appetite (weight loss)

DRUG NAME	Synthroid
GENERIC NAME	Levothyroxine
DOSAGE RANGE	12.5 - 25 mcg/day
HOW TO TAKE	swallow tablet orally
USES	underactive thyroid
SIDE EFFECTS	weight gain/loss, appetite change, fever, sensitive to heat
WARNINGS	mental/mood changes, bone pain, increase sweating

DRUG NAME	Keppra
GENERIC NAME	Levetiracetam
DOSAGE RANGE	250 - 6000 mg/day
HOW TO TAKE	swallow tablet whole orally
USES	get seizures
SIDE EFFECTS	headaches, feeling sleepy and blocked nose or itchy throat
WARNINGS	

DRUG NAME	Colace
GENERIC NAME	Docusate Sodium
DOSAGE RANGE	50 - 300mg daily divided 1-4 doses
HOW TO TAKE	w/full glass of water
USES	stool softener
SIDE EFFECTS	allergic reaction, rectal bleeding/irritation, no bm 7d
WARNINGS	Do Not use if blockage in your intestines, nausea, vomiting Do Not use if using Mineral Oil

DRUG NAME	Toprol
GENERIC NAME	Metoprolol
DOSAGE RANGE	25 - 200 ⁵⁰ mg
HOW TO TAKE	w/meal or after same time each day swallow tablet whole
USES	high blood pressure, heart failure, chest pain <small>lower risk death after heart attack</small>
SIDE EFFECTS	headaches, dizzy, sick or tired
WARNINGS	worsen heart failure, dilated neck vein, extreme fatigue, shortness breathing, swelling face, fingers, feet, lower leg, weight gain

DRUG NAME	Ultram
GENERIC NAME	Tramadol
DOSAGE RANGE	25 - 400mg
HOW TO TAKE	by mouth
USES	severe pain every 4-6hr as needed
SIDE EFFECTS	dry mouth, heartburn, sleepiness, headache
WARNINGS	Abuse and Addiction leading to death or overdose. Severe breathing problems w/wrong dose