

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1521

DMA Code #2 8991

DMA Code #3 6215

DRUG NAME	Depakote
GENERIC NAME	divalproex sodium
DOSAGE RANGE	125mg, 250mg, 500mg
HOW TO TAKE	orally w/food
USES	Complex partial seizures; Simple and complex absence seizures
SIDE EFFECTS	drowsiness, nausea, vomiting
WARNINGS	Hepatotoxicity, increased Hepatotoxicity; fetal risk; Pancreatitis

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine Fumarate
DOSAGE RANGE	25mg, 50mg, 100mg, 200mg, 300mg, 400mg
HOW TO TAKE	by mouth increasing
USES	schizophrenia; bipolar, manic/acute; anxiety
SIDE EFFECTS	Constipation, tired, weight gain, blurred vision
WARNINGS	Dementia related Psychosis, Suicide

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	.5, 1, 2, INJ 2mg per 10 ml; 4mg per ml
HOW TO TAKE	orally or injection
USES	anxiety, insomnia,
SIDE EFFECTS	apnea, seizures, respiratory issues; fatigue
WARNINGS	Addiction, Dependence/withdrawal reactions

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5-5mg PO tid mouth 3x a day
HOW TO TAKE	
USES	Seizure, panic disorder, anxiety, restless leg syndrom
SIDE EFFECTS	dizziness, weakness, depression,
WARNINGS	Addiction, Abuse; Dependence/withdrawal

DRUG NAME	Risperdal
GENERIC NAME	risperidone
DOSAGE RANGE	.25mg, .5mg, 1mg, 2mg, 3mg 4mg SOL (under tongue) 1mg per ml
HOW TO TAKE	tablet or under tongue
USES	Schizophrenia, bipolar, Tourette syndrome
SIDE EFFECTS	low BP, seizures, stroke
WARNINGS	Dementia related psychosis

DRUG NAME	Flonase Allergy relief
GENERIC NAME	Fluticasone propionate nasal
DOSAGE RANGE	4-11 1 spray 12+ 1-2 adult 1-2 sprays
HOW TO TAKE	by nostril
USES	Allergies
SIDE EFFECTS	headache, nasal burning/itching
WARNINGS	

DRUG NAME	Crestor
GENERIC NAME	rosuvastatin
DOSAGE RANGE	5mg 10mg 20mg 40mg
HOW TO TAKE	by mouth
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	headache, abdominal pain, nausea
WARNINGS	

DRUG NAME	Apidra
GENERIC NAME	insulin glulisine
DOSAGE RANGE	INJ 100 units per ml
HOW TO TAKE	injection
USES	antidiabetic agent
SIDE EFFECTS	hypoglycemia, seizures
WARNINGS	

DRUG NAME	Colace
GENERIC NAME	docosate sodium
DOSAGE RANGE	50-300mg/day
HOW TO TAKE	by mouth everyday 2x a day as needed
USES	Stool softner
SIDE EFFECTS	diarrhea, Cramps, throat irritation
WARNINGS	Avoid mineral oil

DRUG NAME	NORCO
GENERIC NAME	hydrocodone/acetaminophen
DOSAGE RANGE	Tab 5mg, 7.5mg 10mg
HOW TO TAKE	by mouth
USES	Pain - moderate - mod. severe
SIDE EFFECTS	dizzy, nausea, vomiting
WARNINGS	Med error risk, Addiction, Resp depression, Accidental Ingestion