

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	 Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Cotace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1936

DMA Code #2 2105

DMA Code #3 1982

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5mg - 4mg
HOW TO TAKE	Tab, INJ, by mouth
USES	Anxiety, Insomnia, Alcohol Withdrawal
SIDE EFFECTS	Sedation, Dizziness, Fatigue, Confusion
WARNINGS	Do not use with Alcohol or opioid medication / AT Risk for Abuse

DRUG NAME	Clozaril
GENERIC NAME	Clozapine
DOSAGE RANGE	Tab 25mg, 100mg
HOW TO TAKE	by mouth
USES	Schizophrenia, Suicide prevention
SIDE EFFECTS	Weight gain, Drowsiness, Constipation
WARNINGS	Effects immune system, Risk of Seizure, Not to use for Adults with Dementia.

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	Tab 25mg, 50mg, 100mg, 200mg, 300-400mg.
HOW TO TAKE	by mouth
USES	Bipolar Disorder, Anxiety, Schizophrenia
SIDE EFFECTS	Dizziness, Hypotension, Somnolence, headache
WARNINGS	May increase Risk of Death in adults with dementia, Not approved for anyone under Age of 10. Should Not Breast feed.

DRUG NAME	Byetta
GENERIC NAME	Exenatide
DOSAGE RANGE	Inj - 5mcg - 10mcg per injection
HOW TO TAKE	Injection pen
USES	Helps control Blood Sugar, used for treat Diabetes Stage II
SIDE EFFECTS	Nausea, diarrhea, constipation
WARNINGS	Should Not use if have severe kidney disease or on dialysis Should Not use if it has caused low platelet levels in blood.

DRUG NAME	Toprol
GENERIC NAME	Metoprolol Succinate
DOSAGE RANGE	Tab - 25mg, 50mg, 100mg, 200mg / injection Also
HOW TO TAKE	by Mouth Never chew can be cut in half
USES	Angina, Chest pain, Heart attack
SIDE EFFECTS	Fatigue, Dizziness, Rash, Sleep Disturbance
WARNINGS	Do not use if have heart conditions, Severe Circulation problems

DRUG NAME	Norco
GENERIC NAME	Hydrocodone / Acetaminophen
DOSAGE RANGE	Tab - 5mg / 325mg 7.5mg / 325mg - 10mg / 325
HOW TO TAKE	By mouth
USES	Pain moderate - Mod - Severe,
SIDE EFFECTS	lightheadness, dizziness, sedation, Nausea, psychomotor impairment,
WARNINGS	can cause addiction, Fatal side effects with Drinking,

DRUG NAME	colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	2-11yo - 50-150mg 12 and older 50-300mg
HOW TO TAKE	Oral by mouth
USES	Stool softener, constipation
SIDE EFFECTS	Diarrhea, Cramps, Throat irritation
WARNINGS	Do not use if fecal impaction, appendicitis

DRUG NAME	Neurontin
GENERIC NAME	Gabapentin
DOSAGE RANGE	capsule 100mg, 300mg, 400mg Tab 600mg - 800mg
HOW TO TAKE	Oral by mouth
USES	Neuropathic pain, Fibromyalgia, Alcohol Dependence
SIDE EFFECTS	fatigue, Fever, Nausea, Tremor, Diplopia
WARNINGS	can cause Breathing issues Do not take on dialysis

DRUG NAME	Crestor
GENERIC NAME	rosuvastatin
DOSAGE RANGE	Tab - 5mg, 10mg, 20mg, 40mg
HOW TO TAKE	by mouth oral
USES	hypercholesterolemia, Mixed dyslipidemia
SIDE EFFECTS	headache, Myalgia, abdominal pain, Nausea
WARNINGS	Do not use if pregnant, Do not take if you have liver disease

DRUG NAME	Flonase
GENERIC NAME	Fluticasone Propionate Nasal
DOSAGE RANGE	50 Mcg
HOW TO TAKE	Nasal Spray, spray in each nostril
USES	Allergy, Allergies, stuffy nose
SIDE EFFECTS	headache, Ur. sx - Nausea, cough, bronchitis
WARNINGS	if it worsens, caution for long term use, caution if TB infection caution if glaucoma.