

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1737

DMA Code #2 1978

DMA Code #3 9532

DRUG NAME	Leppha
GENERIC NAME	Levetiracetam
DOSAGE RANGE	TAB 250 mg, 500 mg, 750 mg, 1000 mg, Sol 100 mg/ml, Inj: various
HOW TO TAKE	Tablet orally, Solution orally, IM injection
USES	epilepsy
SIDE EFFECTS	Headache, pain, anorexia, ataxia, vertigo, leukopenia
WARNINGS	Avoid abrupt withdrawal, caution if pregnant, if psychiatric disorder

DRUG NAME	Protonix
GENERIC NAME	Pantoprazole
DOSAGE RANGE	TAB 20mg, 40 mg / Granule 40mg / pkt / Injection
HOW TO TAKE	Orally, IM injection
USES	GERD, hypersecretory conditions,
SIDE EFFECTS	Vomiting, nausea, fever, headache, dizziness
WARNINGS	Caution if long term use, if high-dose use, if hypomagnesemia

DRUG NAME	Hydrochlorothiazide
GENERIC NAME	
DOSAGE RANGE	TAB 12.5 mg, 25 mg, 50 mg CAP 12.5 mg
HOW TO TAKE	Oral
USES	Hypertension, peripheral edema
SIDE EFFECTS	Orthostatic hypotension, muscle cramps, headache
WARNINGS	Caution if gout, hx, anuria, volume depletion

DRUG NAME	Ultram - DC in US
GENERIC NAME	Tramadol
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	Tenormin
GENERIC NAME	Atenolol
DOSAGE RANGE	25 mg, 50 mg, 100 mg
HOW TO TAKE	Oral
USES	Hypertension, angina, Post MI, migraine
SIDE EFFECTS	Bradycardia, hypotension, fatigue, dyspnea, vertigo, leg pain
WARNINGS	Sinus bradycardia, cardiogenic shock, avoid abrupt withdrawal

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2 mg - 30 mg
HOW TO TAKE	oral
USES	schizophrenia, bipolar, major depressive disorder,
SIDE EFFECTS	headaches, weight gain, anxiety, tremor, blurred vision
WARNINGS	Caution with pts w/ heart failure, dehydration, elderly, <25y.o

DRUG NAME	Depakote
GENERIC NAME	Divalproex sodium
DOSAGE RANGE	125 mg, 250 mg, 500 mg
HOW TO TAKE	oral
USES	Partial seizures, absence seizures, bipolar, migraine headaches
SIDE EFFECTS	headaches, nausea, vomiting, diarrhea, tremor, rash
WARNINGS	Caution if bleeding risk, if depression, if head injury

DRUG NAME	Flovent Diskus
GENERIC NAME	Fluticasone propionate inhaled
DOSAGE RANGE	100 mcg, 250 mcg
HOW TO TAKE	Inhaled
USES	Asthma
SIDE EFFECTS	URI, headache, throat irritation, dysphonia, myalgia
WARNINGS	Caution if cataracts, TB infection, active infection

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	5 mg, 10 mg, 20 mg, 40 mg, 80 mg
HOW TO TAKE	oral
USES	Hypercholesterolemia, mixed dyslipidemia, hypertriglyceridemia
SIDE EFFECTS	URI, headache, constipation, gastritis, vertigo, insomnia, myalgia
WARNINGS	Caution if pregnant, myopathy, >65, renal impairment

DRUG NAME	Glyburide
GENERIC NAME	DiaBeta
DOSAGE RANGE	1.25 mg, 2.5 mg, 5 mg
HOW TO TAKE	oral
USES	Diabetes Mellitus Type 2
SIDE EFFECTS	Nausea, dyspepsia, weight gain, blurred vision, rash
WARNINGS	Caution if malnutrition, adrenal insufficient