



*Annalyn Kennedy*

A login box/registration box will pop-up.

Click on “Register Now” to register for an account. *(Enter credential if you have already registered to access the program.)*

Fill out the form below and click “Join”. Use “Other Health Professional” for Occupation and use “49009” for your work zip. Be sure to use your Beacon e-mail.



## How to Register for an Epocrates Account

**Objective:** Register for Epocrates.com

**User Security Access Requirements:** Available to all staff


**Beacon User Role:** Available to all staff

**Timeline:** Should create an account upon initiating DMA certification training process.

### How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>

You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.



## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1953

DMA Code #2 2725

DMA Code #3 4122

DRUG NAME	Abilify
GENERIC NAME	aripiprazole
DOSAGE RANGE	10-15
HOW TO TAKE	PO
USES	TO treat mental mood disorders
SIDE EFFECTS	Nausea, weight gain dizziness
WARNINGS	IF any side effects worsen tell your doctor

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	400-800
HOW TO TAKE	PO
USES	TO treat mental disorder / mood stabilizer
SIDE EFFECTS	constipation drowsiness weight gain
WARNINGS	side effects persist tell your doctor

DRUG NAME	Lithium
GENERIC NAME	Lithium Carbonate
DOSAGE RANGE	600-1200
HOW TO TAKE	PO
USES	manic depressive disorder
SIDE EFFECTS	Headache Dizzy Dry mouth
WARNINGS	seek medical help if side effects persist

DRUG NAME	Norco
GENERIC NAME	Tramadol
DOSAGE RANGE	5-325
HOW TO TAKE	PO
USES	Pain Reliever
SIDE EFFECTS	light headed
WARNINGS	Opiodid

DRUG NAME	Lipitor
GENERIC NAME	atorvastatin
DOSAGE RANGE	10 or 20
HOW TO TAKE	PO
USES	lower cholesterol
SIDE EFFECTS	Joint pain Nausea UTI difficulty sleeping
WARNINGS	Side effects

DRUG NAME	Lantus
GENERIC NAME	Generic lantus
DOSAGE RANGE	0.2-10
HOW TO TAKE	Injection
USES	To improve blood sugar
SIDE EFFECTS	headache hunger tremors
WARNINGS	Call your doctor if shortness of breath - low blood potassium

DRUG NAME	Keppra
GENERIC NAME	Levetiracetam
DOSAGE RANGE	500mg
HOW TO TAKE	PO
USES	Seizures
SIDE EFFECTS	dizziness, infection irritability
WARNINGS	Changes in behavior loss of coordination

DRUG NAME	Zantac
GENERIC NAME	Ranitidine
DOSAGE RANGE	4-8mg
HOW TO TAKE	PO
USES	heartburn
SIDE EFFECTS	constipation, Fatigue headache
WARNINGS	FDA OVER the counter Zantac was unsafe

DRUG NAME	Toprol
GENERIC NAME	Metoprolol
DOSAGE RANGE	25-100
HOW TO TAKE	PO
USES	With food for / Beta blocker
SIDE EFFECTS	Vomiting cramps, heartburn, dry mouth
WARNINGS	severe dizziness, slow heartbeat trouble breathing

Blueing of toes and fingers

DRUG NAME	Depakote
GENERIC NAME	Divalproex Sodium
DOSAGE RANGE	1500-2500
HOW TO TAKE	PO
USES	bipolar
SIDE EFFECTS	nausea diarrhea tremors
WARNINGS	Same as side effects