

## How to Register for an Epocrates Account

**Objective:** Register for Epocrates.com

**User Security Access Requirements:** Available to all staff


**Beacon User Role:** Available to all staff

**Timeline:** Should create an account upon initiating DMA certification training process.

### How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>


You will now be the Epocrates home page.



Click on “Login” in the upper right-hand corner of the page.



A login box/registration box will pop-up.



The screenshot shows the Epocrates login and registration page. At the top, the Epocrates logo is displayed with the tagline "an athenahealth service". Below the logo, there is a login form with a text input field containing the email address "khaas@beaconspecialized.org". Below the email field is a password field with masked characters. A checkbox labeled "Remember Me" is checked. Below the password field is a large dark button labeled "Login". Underneath the "Login" button, there are two links: "Forgot your login or password?" and "New User?". Below these links is another large dark button labeled "Register Now".

Click on “Register Now” to register for an account. *(Enter credential if you have already registered to access the program.)*

Fill out the form below and click “Join”. Use “Other Health Professional” for Occupation and use “49009” for your work zip. Be sure to use your Beacon e-mail.



The screenshot shows the "Create an Account" registration form. The form includes the following fields and options:

- Name:** First and Last name input fields.
- Phone:** Input field with a "Country Code" dropdown menu.
- Password:** Input field with a "Confirm Password" field.
- Country of Residence:** A dropdown menu currently set to "United States of America".
- Home Zip/Postal Code:** Input field.
- Occupation:** A dropdown menu currently set to "Other".

Below the form, there is a "Join" button. Small text below the button reads: "By clicking this button you agree to our privacy policy and our terms of use and you will receive an email from Beacon Specialized Living."

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48].  
See slide 65 in DMA Packette

*Ashley Morris*

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan ~ Clozaril ~ Depakote - Haldol ~ Invega Klonopin ~ Lamictal ~ Lithium Risperdal ~ Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine ~ Proventil	Crestor Lipitor ~ Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid ~
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace ~ Miralax Prilosec ~ Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril ~ Toprol Tenormin	Flexeril Motrin ~ Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1586

DMA Code #2 2743

DMA Code #3 3289

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	Orally
USES	Schizophrenia, Bipolar disorder, Manic/mixed major depression
SIDE EFFECTS	headache, weight gain, anxiety, insomnia
WARNINGS	Dementia-Related psychosis, suicidality

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	0.5mg - 4mg Per mL
HOW TO TAKE	IM/IV/PO
USES	Anxiety, insomnia (short-term) Status epilepticus, Chemo-related Nausea/vomiting
SIDE EFFECTS	Sedation, dizziness, hypotension
WARNINGS	Risk for concomitant opioid use, Dependence and withdrawal reactions

DRUG NAME	Clozaril
GENERIC NAME	clozapine
DOSAGE RANGE	25mg - 100mg
HOW TO TAKE	PO
USES	Schizophrenia, Suicide prevention
SIDE EFFECTS	dyslipidemia, hyperglycemia, weight gain, drowsiness
WARNINGS	Severe Neutropenia, Orthostatic Hypotension, Bradycardia, Syncope,

Seizures, Myocarditis, cardiomyopathy.

DRUG NAME	Depakote
GENERIC NAME	divalproex sodium
DOSAGE RANGE	125mg - 500mg
HOW TO TAKE	PO
USES	Bipolar disorder, headache/migraine / Seizure Disorders
SIDE EFFECTS	headache, nausea, vomiting, asthenia, somnolence
WARNINGS	hepatotoxicity, fetal Risk, Pancreatitis

DRUG NAME	<del>Haloperidol</del> Haldol
GENERIC NAME	Haloperidol
DOSAGE RANGE	0.5mg - 20mg
HOW TO TAKE	PO
USES	Schizophrenia, Schizoaffective disorder
SIDE EFFECTS	Extrapyramidal, insomnia, Anxiety
WARNINGS	Dementia-Related psychosis

DRUG NAME	<del>Klonopin</del> Lamictal
GENERIC NAME	Lamotrigine
DOSAGE RANGE	25-200mg
HOW TO TAKE	PO /chewable.
USES	Bipolar & Seizure disorder
SIDE EFFECTS	vertigo, dizziness headache
WARNINGS	Serious Rash

DRUG NAME	<del>Lamictal</del> Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5mg - 2mg
HOW TO TAKE	PO
USES	Benzodiazepines long-acting Seizure disorder Parasomnias sleep related movement disorder Tourette
SIDE EFFECTS	drowsiness, impaired coordination depression
WARNINGS	Risk of concomitant opioid use

DRUG NAME	<del>Allegra</del> Loratadine
GENERIC NAME	None Shown.
DOSAGE RANGE	10mg-10mg Sol: 1mg per mL
HOW TO TAKE	PO
USES	Antihistamines.
SIDE EFFECTS	drowsiness, fatigue, abdominal pain, headache
WARNINGS	NO warnings.

DRUG NAME	Risperdal
GENERIC NAME	Risperidone
DOSAGE RANGE	0.25mg - 4mg Sol: 1mg per mL
HOW TO TAKE	PO
USES	Bipolar disorder Tic disorder Antipsychotic 2nd Generation
SIDE EFFECTS	Somnolence fatigue insomnia
WARNINGS	Dementia-related psychosis

DRUG NAME	<del>Serquel</del> Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg - 80mg
HOW TO TAKE	PO
USES	Dyslipidemia
SIDE EFFECTS	URI headache arthralgia UTI
WARNINGS	NO warnings

100

100

100

100

100

100