



How to Register for an Epocrates Account

Objective: Register for Epocrates.com

User Security Access Requirements: Available to all staff


Beacon User Role: Available to all staff

Timeline: Should create an account upon initiating DMA certification training process.


How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>


You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.



A login box/registration box will pop-up.



The screenshot shows the epocrates login and registration page. At the top, the epocrates logo is displayed with the tagline "an athenahealth service". Below the logo, there is a text input field containing the email address "khaas@beaconspecialized.org". Underneath the email field is a password field represented by a series of asterisks. A checkbox labeled "Remember Me" is checked. Below the password field is a large black button with the text "Login" in white. Under the "Login" button, there are two links: "Forgot your login or password?" and "New User?". Below these links is another large black button with the text "Register Now" in white.

Click on “Register Now” to register for an account. *(Enter credential if you have already registered to access the program.)*

Fill out the form below and click “Join”. Use “Other Health Professional” for Occupation and use “49009” for your work zip. Be sure to use your Beacon e-mail.



The screenshot shows the "Create an Account" registration form on the epocrates website. The form includes the following fields and options:

- *Name:** Two input fields for "First" and "Last".
- *Email:** One input field for the email address.
- *Password:** Two input fields for "Password" and "Confirm Password".
- *Country of Residence:** A dropdown menu currently set to "United States of America".
- *Work Zip/Postal Code:** An input field for the zip code.
- *Occupation:** A dropdown menu currently set to "Select".

Below the "Occupation" dropdown, there is a small text block with a list of requirements:

- Must be a minimum of 18 years old
- Must be a licensed health professional
- Must be a resident of the United States
- Must be a resident of the United States
- Must be a resident of the United States

At the bottom of the form, there is a "Join" button and a small text block: "By clicking Join, you agree to our privacy policy and Terms of Use. See our 401a plan of record at www.beacon.com." The "Join" button is highlighted in black with white text.

DRUG NAME	Colace
GENERIC NAME	docusate Sodium
DOSAGE RANGE	50, 100 mg
HOW TO TAKE	oral
USES	Constipation
SIDE EFFECTS	diarrhea, Abdominal cramps, throat irritation, rash
WARNINGS	

DRUG NAME	hydrochlorothiazide
GENERIC NAME	Diuretics, Thiazides
DOSAGE RANGE	Cap 12.5mg Tab 12.5, 25, 50 mg
HOW TO TAKE	oral
USES	High blood pressure
SIDE EFFECTS	dizziness, anorexia, diarrhea, abdominal pain, headache
WARNINGS	No Box warnings.

DRUG NAME	Norco
GENERIC NAME	Hydrocodone/Acetaminophen
DOSAGE RANGE	5 7.5 10mg
HOW TO TAKE	oral
USES	Pain
SIDE EFFECTS	Lightheadedness, dizziness, nausea, vomiting, rash, drowsiness
WARNINGS	Addiction, Abuse, Respiratory Depression, Neonatal Opioid withdrawal syndrome

DRUG NAME	Lithium
GENERIC NAME	
DOSAGE RANGE	Cap 150, 300, 600 mg Tab 300mg ER Tab 300 450mg
HOW TO TAKE	oral
USES	Bipolar, Schizoaffective
SIDE EFFECTS	Tremor, Polyuria, weight gain, dizziness, Rash, acne
WARNINGS	Lithium Toxicity

DRUG NAME	Zyprexa
GENERIC NAME	olanzapine
DOSAGE RANGE	2.5 TAB 2.5, 5, 7.5, 10, 15, 20 mg inj 5mg per ml
HOW TO TAKE	oral, injection
USES	Schizophrenia, bipolar agitation, major depressive disorder Nausea
SIDE EFFECTS	Weight gain, somnolence, xerostomia, headache, back pain, fever
WARNINGS	Dementia

Samantha
Cail

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1936

DMA Code #2 2105

DMA Code #3 1982

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2, 5, 10, 15, 20, 30 mg 2, 5, 10, 15, 20, 30 mg
HOW TO TAKE	oral
USES	Schizophrenia, bipolar, irritability, tics
SIDE EFFECTS	headache, weight gain, anxiety, Dizziness, tremor
WARNINGS	Dementia-Related Psychosis, Suicidality

DRUG NAME	Advair Diskus
GENERIC NAME	Fluticasone propionate/Salmeterol inhaled
DOSAGE RANGE	100 mcg, 250 mcg, 500 mcg
HOW TO TAKE	oral (inhaled)
USES	Asthma, COPD, renal dosing, hepatic dosing
SIDE EFFECTS	headache, cough, nausea, throat irritation, vomiting
WARNINGS	No box warnings

DRUG NAME	Crestor
GENERIC NAME	rosuvastatin
DOSAGE RANGE	5, 10, 20, 40mg
HOW TO TAKE	oral
USES	Heterozygous familial hypercholesterolemia
SIDE EFFECTS	headache, abdominal pain, nausea, dizziness, insomnia
WARNINGS	No box warnings

DRUG NAME	Apidra
GENERIC NAME	insulin Glulisine
DOSAGE RANGE	(100 units) .5 - 1 units
HOW TO TAKE	injection
USES	diabetes type 1 & 2
SIDE EFFECTS	Rash, weight gain, headache, pruritus, URI, influenza
WARNINGS	No Box warning

DRUG NAME	Dilantin
GENERIC NAME	Phenytoin
DOSAGE RANGE	ER Cap - 30, 100 mg - chewable 50 125 mg per 5ml
HOW TO TAKE	oral
USES	Seizure
SIDE EFFECTS	Cardiovascular Risk with Rapid Infusion
WARNINGS	nausea, vomiting, rash, nystagmus, Ataxia, Slurred Speech

