

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48] See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 3354

DMA Code #2 2875

DMA Code #3 6941

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg, 5mg, 10mg, 15mg, 20mg, 30mg
HOW TO TAKE	TABLET
USES	Schizophrenia, bipolar disorder, manic/mixed, major depressive disorder
SIDE EFFECTS	headache, weight gain, anxiety, nausea, sedation, constipation
WARNINGS	dementia-related psychosis, suicidality

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	5mg, 1mg, 2mg, INJ 2mg per mL, 4mg per mL
HOW TO TAKE	Tablet, injectable
USES	anxiety, insomnia, short-term, status epilepticus,
SIDE EFFECTS	sedation, ataxia, fatigue, constipation, incontinence, appetite changes, respiratory depression, dependence, and withdrawal reactions
WARNINGS	risks from concomitant opioid use, addiction, abuse, and misuse, withdrawal reactions

DRUG NAME	Haldol Decanoate
GENERIC NAME	haloperidol decanoate
DOSAGE RANGE	50mg per mL, 100mg per mL
HOW TO TAKE	Injectable
USES	chronic psychosis,
SIDE EFFECTS	insomnia, anxiety, drowsiness, lethargy,
WARNINGS	dementia-related psychosis

DRUG NAME	Invega
GENERIC NAME	paliperidone
DOSAGE RANGE	1.5mg, 3mg, 6mg, 9mg
HOW TO TAKE	Extended release tablets
USES	schizophrenia, schizoaffective disorder
SIDE EFFECTS	tachycardia, dizziness, weight gain, headache, cough, constipation, fatigue
WARNINGS	dementia-related psychosis

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSAGE RANGE	5mg, 1mg, 2mg
HOW TO TAKE	Tablet
USES	seizure disorder, panic disorder, anxiety, restless leg synd., Tourette syndrome, sleep terrors
SIDE EFFECTS	drowsiness, depression, fatigue, dizziness, constipation, incontinence, fatigue, amnesia, and withdrawal
WARNINGS	risks from concomitant opioid use, addiction, abuse, and misuse, dependence reactions

DRUG NAME	Lithium
GENERIC NAME	Lithium
DOSAGE RANGE	150mg, 300mg, 600mg (CAP); 300mg (TAB); 300mg, 400mg (ERTAB); 0.8mEq per 5mL
HOW TO TAKE	Capsule, tablet, extended release tablet, solution
USES	bipolar I disorder, acute manic/mixed bipolar I disorder, schizoaffective disorder
SIDE EFFECTS	tremor, nausea, drowsiness, dizziness, fatigue, acne, muscle weakness, weight gain
WARNINGS	Lithium toxicity

DRUG NAME	Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	25mg, 50mg, 100mg, 200mg, 300mg, 400mg
HOW TO TAKE	Tablet
USES	schizophrenia, manic bipolar I disorder, acute depressive bipolar disorder, anxiety disorders
SIDE EFFECTS	sedation, weight gain, constipation, anemia, dizziness, xerostomia, fatigue, insomnia
WARNINGS	dementia-related psychosis, suicidality

DRUG NAME	Trileptal Trileptal
GENERIC NAME	oxcarbazepine
DOSAGE RANGE	150mg, 300mg, 600mg (TAB); SUSP 300mg per 5mL
HOW TO TAKE	tablet, suspension
USES	partial seizures, trigeminal neuralgia, bipolar disorder
SIDE EFFECTS	dizziness, headache, nausea, vomiting, fatigue, tremor, gastritis, balance disorder
WARNINGS	none

DRUG NAME	Zyprexa
GENERIC NAME	olanzapine
DOSAGE RANGE	TAB 2.5mg, 5mg, 7.5mg, 10mg, 15mg, 20mg; INJ 5mg per mL
HOW TO TAKE	tablet, injectable
USES	schizophrenia, bipolar I disorder; manic/mixed, major depressive disorder
SIDE EFFECTS	weight gain, headache, insomnia, constipation, incr appetite, tremor, amnesia, fever
WARNINGS	dementia-related psychosis

DRUG NAME	Flonase
GENERIC NAME	fluticasone propionate nasal
DOSAGE RANGE	1 actuation in each nostril, 1-2 actuation in each nostril
HOW TO TAKE	nasal
USES	allergy, nasal polyp tx
SIDE EFFECTS	headache, nausea, nasal burning/irritation, coughing, vomiting, dizziness
WARNINGS	none

DRUG NAME	Flovent HFA
GENERIC NAME	Fluticasone propionate, unlabeled
DOSAGE RANGE	MAL 44 mcg per actuation, 110 mcg per actuation, 220 mcg per actuation
HOW TO TAKE	Unlabeled by mouth
USES	asthma maintenance
SIDE EFFECTS	headache, throat irritation, hoarseness, oral candidiasis, cough, nausea
WARNINGS	none

DRUG NAME	Loratadine / Claritin
GENERIC NAME	loratadine
DOSAGE RANGE	10mg
HOW TO TAKE	tablet
USES	Chronic idiopathic urticaria
SIDE EFFECTS	drowsiness, fatigue, abdominal pain, headache, pharyngitis, dry mucous mem
WARNINGS	none

DRUG NAME	Levothyroxine
GENERIC NAME	levothyroxine
DOSAGE RANGE	13 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112, 125, 137, 150, 175, 200 mcg
HOW TO TAKE	capsule, tablet, injer
USES	hypothyroidism, TSH suppression, myxedema coma
SIDE EFFECTS	palpitations, tachycardia, nervousness, tremor, weight loss, diarrhea, fever
WARNINGS	not for obesity/weight loss

DRUG NAME	Topamax
GENERIC NAME	topiramate
DOSAGE RANGE	sprinkle 15mg, 25 mg (sap); (TAB) 25mg, 50mg, 100mg, 200mg
HOW TO TAKE	sprinkle capsule, tablet
USES	tonic clonic primary generalized seizures, nightmares post-traumatic stress disorder
SIDE EFFECTS	metabolic acidosis, dizziness, weight loss, fatigue, nervousness, w/e, ataxia, nausea
WARNINGS	none

DRUG NAME	Colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	50-300 mg
HOW TO TAKE	capsule
USES	bowel movement, loose stool
SIDE EFFECTS	diarrhea, abdominal cramps, throat irritation, rash, electrolyte disorders
WARNINGS	none

DRUG NAME	Miralax
GENERIC NAME	polyethylene glycol 3350
DOSAGE RANGE	1 capful / packet
HOW TO TAKE	oral powder
USES	osmotic laxative for relieving constipation
SIDE EFFECTS	nausea, cramping, flatulence, diarrhea, urticaria, abdominal distension
WARNINGS	none

DRUG NAME	Prilosec
GENERIC NAME	omeprazole
DOSAGE RANGE	DR CAP 10mg, 20mg, 40mg; DR GRANULE 10mg per pkt
HOW TO TAKE	capsule
USES	GERD, gastric ulcer, duodenal ulcer, H pylori infection, hypersensitive
SIDE EFFECTS	headache, abdominal pain, nausea, diarrhea, vomiting, flatulence, URI, dry cough
WARNINGS	none

DRUG NAME	Motrin IB
GENERIC NAME	ibuprofen
DOSAGE RANGE	200mg, 250mg
HOW TO TAKE	capsule
USES	1-2 tablets / capsule
SIDE EFFECTS	nausea, constipation, dizziness, drowsiness, abdominal pain, dyspepsia
WARNINGS	none

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	

DRUG NAME	
GENERIC NAME	
DOSAGE RANGE	
HOW TO TAKE	
USES	
SIDE EFFECTS	
WARNINGS	