

Kathie Smith

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1657

DMA Code #2 1853

DMA Code #3 9532

Katha Smith

DRUG NAME	Levemir
GENERIC NAME	insulin detemir
DOSAGE RANGE	INS (FlexTouch U-100 pen); 100 units per mL; INS (U-100 vial)
HOW TO TAKE	Injection
USES	diabetes mellitus, type 1; diabetes mellitus, type 2
SIDE EFFECTS	headache, cough, Back Pain, Rash, vomiting, weight gain
WARNINGS	

DRUG NAME	Topamax
GENERIC NAME	Topiramate
DOSAGE RANGE	Sprinkle CAP: 15 mg, 25 mg; Tab 75mg, 50mg, 100mg, 200mg
HOW TO TAKE	Oral, By Mouth
USES	partial seizures; seizures, primary generalized tonic clonic
SIDE EFFECTS	weight loss, fever, depression, tremor, infection
WARNINGS	

DRUG NAME	Norco
GENERIC NAME	hydrocodone/acetaminophen
DOSAGE RANGE	5mg/325mg; 7.5/325mg; 10mg/325mg
HOW TO TAKE	Oral, By Mouth
USES	pain, moderate-mod. severe
SIDE EFFECTS	constipation, rash, vomiting, sedation
WARNINGS	Medication Error Risk; Addiction, Abuse, misuse

DRUG NAME	Lithium - Generic
GENERIC NAME	
DOSAGE RANGE	CAP: 150mg, 300mg, 600mg; Tab 300mg, ER Tab 300mg; 450mg
HOW TO TAKE	Oral by Mouth
USES	bipolar I disorder, maintenance tx
SIDE EFFECTS	Lithium toxicity
WARNINGS	Rash, dizziness, fatigue, nausea

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	Tab: 5mg, 10mg, 20mg, 40mg, 80mg
HOW TO TAKE	Oral by Mouth
USES	hypercholesterolemia
SIDE EFFECTS	headache, UTI, Abdominal Pain
WARNINGS	

Katha Smith

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg, 5mg, 10mg, 15mg, 20mg, 30mg
HOW TO TAKE	Oral, by mouth
USES	Schizophrenia, bipolar I disorder, major/mixed
SIDE EFFECTS	nausea, vomiting, constipation, blurred vision
WARNINGS	Dementia-Related Psychosis, suicidality

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5mg, 1mg, 2mg
HOW TO TAKE	Oral, by mouth
USES	seizure disorder, panic disorder, anxiety
SIDE EFFECTS	depression, dizziness, fatigue, drowsiness
WARNINGS	Addiction, Abuse, and misuse

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10mg, 20mg, 40mg, 80mg
HOW TO TAKE	Oral, By mouth
USES	hypercholesterolemia, mixed dyslipidemia
SIDE EFFECTS	headache, UTI, muscle spasms, insomnia
WARNINGS	

DRUG NAME	Tenormin
GENERIC NAME	atenolol
DOSAGE RANGE	25mg, 50mg, 100mg
HOW TO TAKE	Oral, By Mouth
USES	HTN, eg angina, migraine headache prophylaxis
SIDE EFFECTS	depression, leg pain, nausea, dizziness
WARNINGS	Avoid Abrupt Cessation

DRUG NAME	Flexeril
GENERIC NAME	Cyclobenzaprine
DOSAGE RANGE	5mg, 7.5mg, 10mg; ER CAP 15mg, 30mg
HOW TO TAKE	Oral, By Mouth
USES	Muscle Spasms, Fibromyalgia
SIDE EFFECTS	headache, constipation, confusion, taste changes
WARNINGS	