

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1422

DMA Code #2 1844

DMA Code #3 2066

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 5mg - 10mg - 15mg - 20mg - 30mg
HOW TO TAKE	Orally
USES	Mental/mood disorders
SIDE EFFECTS	Distress, Uncontrollable movements, Seizure
WARNINGS	Dizziness, Drowsiness, drooling, nausea

DRUG NAME	Advair Discus - Fluticasone Propionate
GENERIC NAME	Wixela Inhub
DOSAGE RANGE	100/50 - 250/50 - 500/50
HOW TO TAKE	COPD, Asthma Inhaled
USES	COPD, Asthma
SIDE EFFECTS	Wheezing, choking, fever, chills
WARNINGS	NO black box warning

DRUG NAME	Crestor
GENERIC NAME	Rosuvastatin
DOSAGE RANGE	5mg - 10mg - 20mg - 40mg
HOW TO TAKE	Orally
USES	Hypercholesterolemia
SIDE EFFECTS	Headache, nausea, insomnia
WARNINGS	NO black box warning, Asthenia

DRUG NAME	Apidra
GENERIC NAME	Insulin Glargine
DOSAGE RANGE	100 units per mL
HOW TO TAKE	Injection
USES	Improve glycemic control
SIDE EFFECTS	Fluid retention, low potassium
WARNINGS	Hypoglycemia most common adverse

DRUG NAME	Dilantin
GENERIC NAME	Phenytoin
DOSAGE RANGE	30mg - 100mg
HOW TO TAKE	Capsule, chewable, injectable
USES	Seizure management
SIDE EFFECTS	Cardiac arrest, vomiting, rash, tremor
WARNINGS	Risk of hypotension & Arrhythmias

DRUG NAME	Colace
GENERIC NAME	docosate sodium
DOSAGE RANGE	50-300 mg
HOW TO TAKE	Orally
USES	Constipation (stool softening)
SIDE EFFECTS	Diarrhea, rash, throat irritation
WARNINGS	fecal impaction

DRUG NAME	HCTZ
GENERIC NAME	Esidrix
DOSAGE RANGE	12.5mg - 25mg - 50mg
HOW TO TAKE	Orally
USES	Hypertension, edema, mild fluid retention
SIDE EFFECTS	Nausea, Rash, vertigo, vomiting
WARNINGS	May aggravate digitalis toxicity

DRUG NAME	Flexeril
GENERIC NAME	Cyclohexzaprine
DOSAGE RANGE	5mg - 7.5mg - 10mg
HOW TO TAKE	Orally
USES	Muscle Relaxant
SIDE EFFECTS	Dry mouth, Dizziness, Headache
WARNINGS	Hypersensitivity, Hyperthyroidism

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	0.5mg - 1mg - 2mg
HOW TO TAKE	Capsule, Oral Concentrate, Insectable
USES	Preoperative Sedation, Anxiety Relief
SIDE EFFECTS	Weakness, Amnesia, Tremor, Jaundice
WARNINGS	Profound Sedation, Respiratory depression

DRUG NAME	Atrivent
GENERIC NAME	Ipratropium
DOSAGE RANGE	0.03% - 0.06%
HOW TO TAKE	Nasal Spray
USES	Perennial Allergic / Nonallergic Rhinitis
SIDE EFFECTS	Headache, URI, Nausea, Diarrhea
WARNINGS	Hypersensitivity, Blurred vision, Mydriasis