

## DMA TRAINING

### LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [ 48 ]  
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydorchlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 1936

DMA Code #2 2105

DMA Code #3 1982

# Katie Wagner

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	2mg - 30mg
HOW TO TAKE	PO
USES	Schizophrenia, Bipolar Disorder, Manic/Mixed Major Depres. D.O. <sup>6</sup>
SIDE EFFECTS	Headache, Weight gain, Anxiety, Nausea, Vomiting, Constipation
WARNINGS	Hypersensitivity to Drugs, Caution Seizures, Heart failure

Dis. order

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	0.5mg - 4mg
HOW TO TAKE	P.O
USES	Anxiety, insomnia, Nausea/Vomiting, Status epilepticus
SIDE EFFECTS	Apnea, hypertension, dizziness, Constipation/Mobility
WARNINGS	Caution of Psychosis, Depression, Avoid Alcohol.

DRUG NAME	Lofitadine
GENERIC NAME	Alavert
DOSAGE RANGE	1 tap per 24 hrs.
HOW TO TAKE	P.O
USES	Antihistamine for Allergies, chronic windpethie urticaria
SIDE EFFECTS	Headache, Adominal Pain, Diarrhea, fitiuge, Seizures
WARNINGS	Hypersensitivity to Drugs

DRUG NAME	Crestor
GENERIC NAME	Rosuvastatin
DOSAGE RANGE	5mg - 40mg
HOW TO TAKE	P.O
USES	Hypercholesterolemia, Cardiovascular event.
SIDE EFFECTS	myoPathy, Headache, Nausea, dizziness, astema
WARNINGS	

DRUG NAME	Lisinopril
GENERIC NAME	Prinivil
DOSAGE RANGE	2.5mg - 40mg
HOW TO TAKE	PO
USES	Migraine, prophylaxis Heart failure
SIDE EFFECTS	Dizziness, Hypertention
WARNINGS	Renal Impairment, Pregnant, Elderly.

DRUG NAME	Motrin
GENERIC NAME	Ibuprofen
DOSAGE RANGE	1 tab - 6 tabs in a 24/hr period
HOW TO TAKE	P.O
USES	Pain, Inflammation, Fevers
SIDE EFFECTS	Stroke, Nausea, abdominal pain, Rash
WARNINGS	Caution: Pregnant, Elderly, Stroke Hx.

DRUG NAME	Framadol / Ultram
GENERIC NAME	tramadol
DOSAGE RANGE	50 mg - 300 mg
HOW TO TAKE	P.O
USES	Pain, Migrain (Sever chronic)
SIDE EFFECTS	Constipation, Vomiting, Headache
WARNINGS	Caution under 18, Addiction Hx

DRUG NAME	NORCO
GENERIC NAME	Hydrocodone / Acetaminophin
DOSAGE RANGE	5mg - 10mg
HOW TO TAKE	P.O
USES	Pain: moderate/severe.
SIDE EFFECTS	Respiratory Depression, Seizures, Abuse/Dependency
WARNINGS	Asthma, Circulatory Shock, Sleep apnea

DRUG NAME	APIDra
GENERIC NAME	Insulin glulisine
DOSAGE RANGE	100 per mL
HOW TO TAKE	Injection
USES	Diabetes mellitus
SIDE EFFECTS	Hyperglycemia
WARNINGS	Hyperglycemia, Hepatic Impairment

DRUG NAME	NOVolog
GENERIC NAME	Insulin Aspart
DOSAGE RANGE	100 units / mL
HOW TO TAKE	Injected
USES	Diabetes mellitus
SIDE EFFECTS	Hypoglycemia, weight gain, Influenza
WARNINGS	Hypoglycemia, Visual impairment, Renal Impairment