

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Velisa Snyder

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
 See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 6756

DMA Code #2 1386

DMA Code #3 6096

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	Tab - 2mg 5mg 10mg 15mg 20mg 30mg
HOW TO TAKE	by mouth
USES	Schizophrenia, bipolar, major depressive disorder
SIDE EFFECTS	blurred vision, increased saliva and drooling, muscle stiffness
WARNINGS	Dementia related psychosis, mortality risk in elderly dementia pts, suicidality in children & young adults.

DRUG NAME	Haldol Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	Tab - 25mg, 50 mg, 100mg, 200 mg, 300 mg, 400 mg
HOW TO TAKE	Tablet form by mouth
USES	Treatment of - Schizophrenia, bipolar (manic) - bipolar (depressive) disorder tx - resistant
SIDE EFFECTS	uncontrolled muscle movements, trouble swallowing, blurred vision
WARNINGS	not approved for dementia-related psychosis; mortality risk in elderly dementia patients; suicidal risk in children & adolescents.

DRUG NAME	Atrovent HFA -
GENERIC NAME	ipratropium bromide inhaled
DOSAGE RANGE	MDE - 17 mcg per actuation
HOW TO TAKE	Inhaled
USES	asthma exacerbation, mod to severe
SIDE EFFECTS	wheezing or choking, or other breathing problems after use, little to no urination.
WARNINGS	Adverse reactions - anaphylaxis, bronchospasm, paradoxical

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	start: 10-20mg qpm, may adjust dose q/wk max: 40 mg/day. Info
HOW TO TAKE	start 40mg PO qd in pts at high cardiovascular event risk. dosage forms - Tab - 5mg, 10mg, 20mg, 40mg, 80 mg.
USES	Treatment of hypercholesterolemia, mixed dyslipidemia, hypertriglyceridemia type II.
SIDE EFFECTS	muscle weakness, liver problems, headache, Nausea
WARNINGS	Adverse reactions acute renal failure, anaphylaxis, diabetes mellitus.

DRUG NAME	Apidra
GENERIC NAME	insulin glulisine
DOSAGE RANGE	0.5 - 1 units / kg / day 15min before meal or 20min after meal.
HOW TO TAKE	Injection
USES	Treatment of Diabetes mellitus.
SIDE EFFECTS	adverse reactions - hypoglycemia, seizures, hypoglycemia (peak)
WARNINGS	no warnings listed

Contraindications - hypersens. to drug/class/compon. IM administration

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	Tab: 250mg, 500mg, 750mg, 1000mg; SOL: 100mg per mL; Inj Various
HOW TO TAKE	* start 500mg PO/IV q12h, may incr. by 1000mg/day q week; max 3000/day
USES	Juvenile myoclonic epilepsy, adjunct tx. Primary generalized tonic clonic seizures, adjunct tx.
SIDE EFFECTS	
WARNINGS	NO warnings listed. (Adverse reactions) depression, hostility, suicidality.

DRUG NAME	Protonix
GENERIC NAME	Pantoprazole
DOSAGE RANGE	DR Tab: 20mg, 40mg; DR Granule 40mg per pkt; Inj - Various
HOW TO TAKE	dose 20mg PO/NG qd x 4-8wk; Alt: 40mg IV qd x 7-10 days; do not cut/crush
USES	chew tab or granules; give granules 30min before meals.
SIDE EFFECTS	Severe stomach pain, diarrhea that is watery or bloody
WARNINGS	no warnings listed -
Adverse reactions - Stevens-Johnson Syndrome, Pancreatitis, hepatic impairment	

DRUG NAME	Toprol
GENERIC NAME	topiramate
DOSAGE RANGE	Dose - 100-200mg PO bid; start 25 PO bid x 1wk incr by 25-50mg/day
HOW TO TAKE	Sprinkle CAP: 15mg, 25mg Tab: 25mg, 50mg, 100mg, 200mg (by mouth)
USES	Seizures, Primary generalized tonic clonic, migraine prophylaxis.
SIDE EFFECTS	skin rash, dizziness, abnormal vision.
WARNINGS	no warnings listed.
Adverse reactions - metabolic acidosis, severe, osteoporosis, suicidality.	

DRUG NAME	Ultram (brand discontinued in US) / Norco
GENERIC NAME	Tramadol / hydrocodone / acetaminophen.
DOSAGE RANGE	Tab - 5mg/325mg, 7.5mg/325mg, 10mg/325mg
HOW TO TAKE	by mouth -
USES	pain, moderate to severe
SIDE EFFECTS	Constipation, headache, stomach pain, feeling tired,
WARNINGS	may cause addiction, respiratory depression, medication error risk.

DRUG NAME	Zyprexa
GENERIC NAME	Olanzapine
DOSAGE RANGE	Tab - 2.5mg, 5mg, 7.5mg, 10mg, 15mg, 20mg, Inj: 5mg per mL.
HOW TO TAKE	by mouth or injection.
USES	bipolar disorder manic/mixed. Agitation, schizophrenia
SIDE EFFECTS	bipolar acute depressive. nervousness, confusion, angry, hostile
WARNINGS	Dementia Related Psychosis - NOT approved
increased mortality rate in elderly dementia pts.	