

How to Register for an Epocrates Account

Objective: Register for Epocrates.com

User Security Access Requirements: Available to all staff


Beacon User Role: Available to all staff

Timeline: Should create an account upon initiating DMA certification training process.

How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>

You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.



DRUG NAME	Clozaril
GENERIC NAME	clozapine
DOSAGE RANGE	TAB 25mg, 100mg (150-300 mg PO bid)
HOW TO TAKE	TAB PO
USES	Schizophrenia, tx-resistant, suicide prevention
SIDE EFFECTS	agranulocytosis, neutropenia, seizures, myocarditis, stroke
WARNINGS	avoid abrupt withdrawal, caution if bradycardia

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSAGE RANGE	TAB 0.5mg, 1mg, 2mg
HOW TO TAKE	PO
USES	seizure disorder, panic disorder, anxiety, restless leg syndrome, ^{sleep} terrors
SIDE EFFECTS	respiratory depression, dependency, abuse, seizure, suicidality
WARNINGS	severe hepatic impairment, avoid abrupt withdrawal, caution if renal impairment.

DRUG NAME	Lamictal
GENERIC NAME	lamotrigine
DOSAGE RANGE	TAB 25mg - 200mg Chewable - 2mg, 5mg, 25mg
HOW TO TAKE	PO
USES	seizures, bipolar disorder, maintenance tx, neuropathic pain
SIDE EFFECTS	rash, Stevens-Johnson syndrome, toxic epidermal ^(diabetes) necrolysis
WARNINGS	caution if hypersens. to antiepileptic drugs, pregnancy, caution if heart failure

DRUG NAME	Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	TAB 25mg, 50mg, 100mg, 200mg, 300mg, 400mg
HOW TO TAKE	PO
USES	Schizophrenia, bipolar disorder - manic, bipolar disorder ^{acute} depress
SIDE EFFECTS	suicidality, depression exacerbation, dystonia, amylolysis
WARNINGS	hypersens to drug/class/compon., electrolyte abnormalities (uncorrected)

DRUG NAME	Glucophage
GENERIC NAME	metformin
DOSAGE RANGE	TAB 500mg, 850mg, 1000mg
HOW TO TAKE	PO
USES	diabetes mellitus (type 2), PCOS
SIDE EFFECTS	lactic acidosis, megaloblastic anemia, hepatotoxicity
WARNINGS	hypersens. to drug/class/compon., metabolic acidosis, diabetic ketoacidosis.

DRUG NAME	Novolog
GENERIC NAME	Fiasp
DOSAGE RANGE	100 units/mL (total daily dose 0.5-1 units/kg/day)
HOW TO TAKE	SC injection or continuous infusion in clinical setting
USES	hypersens. to drug diabetes mellitus, renal dosing, hepatic dosing
SIDE EFFECTS	hypoglycemia, hypokalemia, hypersensitivity rxn, anaphylaxis
WARNINGS	hypersens. to drug/class/compon, hypoglycemia, in pts 65 yo and older w/ concurrent basal or long-acting insulin.

DRUG NAME	Topamax
GENERIC NAME	topiramate
DOSAGE RANGE	15 mg, ^{sprinkle cap} 25 mg TAB 75 mg, 50 mg, 100 mg, 200 mg.
HOW TO TAKE	Sprinkle Cap or TAB
USES	seizures, migraine headache prophylaxis, sleep-related eating disorder
SIDE EFFECTS	metabolic acidosis (severe); nephrolithiasis; osteomalacia, disorder
WARNINGS	hypersens. to drug/class/compon., alcohol use w/in Len (ER cap form) avoid abrupt withdrawal

DRUG NAME	Colace
GENERIC NAME	docusate sodium
DOSAGE RANGE	12 yo and older 50-300 m/day PO divided qd - bid pm
HOW TO TAKE	oral capsule (2 strengths available 50mg or 100mg)
USES	emollient laxative for softening stool
SIDE EFFECTS	diarrhea, abdominal cramps, throat irritation, rash.
WARNINGS	hypersens. to drug/class/compon., fecal impaction, mineral oil use

DRUG NAME	Lisinopril
GENERIC NAME	Prinivil, Qbrelis, Zestril
DOSAGE RANGE	TAB 2.5 mg, 5mg, 10mg, 20mg, 30mg, 40mg
HOW TO TAKE	PO
USES	HTN, heart failure w/ reduced ejection fraction, MI acute
SIDE EFFECTS	anaphylactoid rxn, angioedema (head or neck); intestinal
WARNINGS	angioedema, caution in Black pts (incr. angioedema risk)

DRUG NAME	Norco
GENERIC NAME	hydrocodone/acetaminophen
DOSAGE RANGE	TAB 5mg/325mg, 7.5 mg/325mg, 10 mg/325mg
HOW TO TAKE	PO
USES	pain, moderate - mod. severe
SIDE EFFECTS	respiratory depression, central sleep apnea, CNS depression
WARNINGS	coma or impaired consciousness, avoid abrupt withdrawal