

How to Register for an Epocrates Account

Objective: Register for Epocrates.com

User Security Access Requirements: Available to all staff

Beacon User Role: Available to all staff

Timeline: Should create an account upon initiating DMA certification training process.

How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>

You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.





A login box/registration box will pop-up.

Click on “Register Now” to register for an account. *(Enter credential if you have already registered to access the program.)*

Fill out the form below and click “Join”. Use “Other Health Professional” for Occupation and use “49009” for your work zip. Be sure to use your Beacon e-mail.

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 _____

DMA Code #2 _____

DMA Code #3 _____

DRUG NAME	Crestol
GENERIC NAME	Rosuvastatin
DOSAGE RANGE	5mg to 40mg
HOW TO TAKE	By mouth 1x a day with or without food.
USES	High cholesterol and triglyceride levels.
SIDE EFFECTS	Nausea, abdominal pain, weakness, memory loss.
WARNINGS	Liver or kidney damage.

DRUG NAME	Motrin
GENERIC NAME	Ibuprofen
DOSAGE RANGE	200mg to 800mg
HOW TO TAKE	oral
USES	Headache, the common cold, tooth ache, menstrual cramps
SIDE EFFECTS	upset stomach, constipation dizziness.
WARNINGS	Vision change, shortness of breath, light headedness.

DRUG NAME	Norco
GENERIC NAME	Hydrocodone/acetaminophen
DOSAGE RANGE	7.5 milligram to 325mg
HOW TO TAKE	oral
USES	Relieve moderate to severe pain
SIDE EFFECTS	Nausea, vomiting, constipation, drowsiness.
WARNINGS	Light headedness, allergic reactions.

DRUG NAME	Halobal
GENERIC NAME	Haloperidol
DOSAGE RANGE	0.5 to 20mg
HOW TO TAKE	oral
USES	mental mood disorders
SIDE EFFECTS	skin rash, vomiting, dry mouth, itching
WARNINGS	Sudden mood changes, agitation, trouble breathing or swallowing

DRUG NAME	Depakote
GENERIC NAME	Sodium Valproate
DOSAGE RANGE	125mg to 1500mg
HOW TO TAKE	oral
USES	complex partial seizures, bipolar disorder
SIDE EFFECTS	weight gain, feeling tired or sleepy, dry or sore mouth.
WARNINGS	Hair loss, unsteadiness, diarrhea, dizziness.

DRUG NAME	Flonase
GENERIC NAME	Fluticasone
DOSAGE RANGE	1 to 2 times a day, 1 to 2 sprays
HOW TO TAKE	Shake container then insert in nose
USES	Allergies runny nose, itching, & sneezing
SIDE EFFECTS	Headache, back pain, cough, vomiting
WARNINGS	Throat pain, eye pain, nasal damage

DRUG NAME	Abilify
GENERIC NAME	Aripiprazole
DOSAGE RANGE	10 to 20mg
HOW TO TAKE	injection or pill oral
USES	Schizophrenia
SIDE EFFECTS	drowsiness, weight gain, trouble sleeping
WARNINGS	dizziness, blurred vision, vomiting

DRUG NAME	Lipitor
GENERIC NAME	Atorvastatin
DOSAGE RANGE	10 to 80mg once a day
HOW TO TAKE	Adults 10 to 20mg once a day, children 10 to 17 10mg/d a day
USES	Lower bad cholesterol
SIDE EFFECTS	Loss of appetite, insomnia, stuffy nose
WARNINGS	confusion, joint pain, heartburn, gas

DRUG NAME	ZANTAC
GENERIC NAME	Ranitidine
DOSAGE RANGE	75mg to 300mg
HOW TO TAKE	oral
USES	Heartburn
SIDE EFFECTS	Stomach pain, Headache, constipation, fatigue
WARNINGS	fast or slow heart rate, dark urine, stomach pain

DRUG NAME	Flevele
GENERIC NAME	Cyclobenzaprine
DOSAGE RANGE	5mg to 20mg
HOW TO TAKE	oral
USES	muscle relaxant
SIDE EFFECTS	mental depression, ringing of ears, yellow skin or eyes
WARNINGS	Seizures, nausea, restlessness