

How to Register for an Epocrates Account

Objective: Register for Epocrates.com

User Security Access Requirements: Available to all staff


Beacon User Role: Available to all staff

Timeline: Should create an account upon initiating DMA certification training process.

How to Register:

Pull up Google Chrome or any other web browser and go to <https://www.epocrates.com/>

You will now be the Epocrates home page.



Click on "Login" in the upper right-hand corner of the page.





A login box/registration box will pop-up.

The screenshot shows a white pop-up box with a black header containing the "epocrates" logo and "an athenahealth service". Below the header are two input fields: the first contains the email "khaas@beaconspecialized.org" and the second contains a masked password ".....". A checkbox labeled "Remember Me" is checked. Below these fields is a large black button with the text "Login" in white. Underneath the button is the text "Forgot your login or password?" and "New User ?". At the bottom of the box is another large black button with the text "Register Now" in white.

Click on "Register Now" to register for an account. *(Enter credential if you have already registered to access the program.)*

Fill out the form below and click "Join". Use "Other Health Professional" for Occupation and use "49009" for your work zip. Be sure to use your Beacon e-mail.

The screenshot shows the "Create an Account" registration form. It features several input fields: "First Name" and "Last Name" (both with "First" and "Last" labels), "Email" (with a "Confirm Email" field), and "Password" (with a "Confirm Password" field). A list of requirements is shown: "Must be minimum 18 years old", "Must contain upper & lower case", "Must contain at least one number", and "Must contain one special character". Below these are dropdown menus for "Country of Residence" (set to "United States of America"), "Work Zip/Postal Code", and "Occupation" (set to "Select"). A "JOIN" button is at the bottom. A small disclaimer at the bottom reads: "By clicking Join, you agree to our privacy policy and Terms of Use and our 2020 version of our online medical software license agreement." A "Back" link is visible in the top right corner.

DMA TRAINING

LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 5612

DMA Code #2 7834

DMA Code #3 9000

DRUG NAME	Abilify
GENERIC NAME	aripiprazole
DOSAGE RANGE	Tab: 2mg, 5mg, 10 mg, 15mg, 20mg, 30 mg
HOW TO TAKE	oral
USES	used to treat schizophrenia
SIDE EFFECTS	severe agitation, distress, restless, seizure - high blood sugar
WARNINGS	Dementia-Related Psychosis, Suicidality

DRUG NAME	Ativan
GENERIC NAME	lorazepam
DOSAGE RANGE	Tab: 0.5mg, 1mg, 2mg, (N): 2 mg per mL, 4mg per mL
HOW TO TAKE	oral
USES	used to treat anxiety disorders
SIDE EFFECTS	anxiety, insomnia, nausea/vomiting, chemo related
WARNINGS	severe drowsiness, unusual changes in mood, thoughts of suicide or hurting yourself.

DRUG NAME	clozaril
GENERIC NAME	clozapine
DOSAGE RANGE	Tab: 25 mg, 100 mg
HOW TO TAKE	shake the oral suspension, dosing syringe
USES	used to treat schizophrenia
SIDE EFFECTS	fever, flu-like symptoms, mouth sores, skin sores
WARNINGS	severe Neutropenia, Seizures, Orthostatic hypotension

DRUG NAME	Depakote
GENERIC NAME	divalproex sodium
DOSAGE RANGE	Dr tab: 125 mg, 250 mg, 500 mg
HOW TO TAKE	swallow the tablet do not crush
USES	used to treat seizures in people with epilepsy
SIDE EFFECTS	easy bruising, unusual bleeding, severe drowsiness
WARNINGS	Hepatotoxicity, increased Hepatotoxicity risk in mitochondrial DZ, fetal risk

DRUG NAME	Klonopin
GENERIC NAME	clonazepam
DOSAGE RANGE	Tab 0.5 mg, 1mg, 2mg
HOW TO TAKE	orally
USES	used to treat certain seizure disorders
SIDE EFFECTS	severe drowsiness, weak or shallow breathing
WARNINGS	profound sedation, misuse and addiction, may

DRUG NAME	lamictal
GENERIC NAME	lamotrigine
DOSAGE RANGE	Tab 25 mg, 100 mg, 150 mg, 200 mg
HOW TO TAKE	orally
USES	treat epileptic seizures in adults and children
SIDE EFFECTS	fever, swollen glands, severe muscle pain, bruising or
WARNINGS	Serious rash unusual bleeding

DRUG NAME	Risperdal
GENERIC NAME	risperidone
DOSAGE RANGE	Tab: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg
HOW TO TAKE	orally
USES	used to treat schizophrenia in adults and children <small>who are at least 13 years old</small>
SIDE EFFECTS	uncontrolled muscle movements in your face, breast swelling
WARNINGS	Dementia-Related Psychosis

DRUG NAME	Seroquel
GENERIC NAME	quetiapine
DOSAGE RANGE	Tab 25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg
HOW TO TAKE	orally
USES	used to treat schizophrenia in adults and children
SIDE EFFECTS	severe constipation, painful or difficult urination
WARNINGS	Dementia-related Psychosis, Suicidal ality

DRUG NAME	Dilantin
GENERIC NAME	phenytoin
DOSAGE RANGE	ER Cap 30 mg, 100 mg Chewable 50 mg, Susp 125 mg
HOW TO TAKE	swallow, orally
USES	used to control seizures
SIDE EFFECTS	slow or uneven heartbeats, fever, chills, sore throat
WARNINGS	Cardiovascular Risk with rapid Infusion

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	Tab 250 mg, 500 mg, 750 mg, 1000 mg
HOW TO TAKE	orally
USES	to treat tonic-clonic seizures
SIDE EFFECTS	confusion, hallucinations, loss of balance, skin rash
WARNINGS	no warnings listed

