

Jarla Galloway
4/25/2022

DMA TRAINING
LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralax Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1 2576

DMA Code #2 9861

DMA Code #3 2375

DRUG NAME	Triptol
GENERIC NAME	Oxcarbazepine
DOSAGE RANGE	150 mg, 300 mg, 600 mg,
HOW TO TAKE	By mouth
USES	Bipolar Disorder
SIDE EFFECTS	dizziness, headache, nausea
WARNINGS	Pancreatitis

DRUG NAME	Loratadine
GENERIC NAME	Claritin
DOSAGE RANGE	10 mg
HOW TO TAKE	By mouth, renal dosing
USES	Allergy
SIDE EFFECTS	headache abdominal pain
WARNINGS	Bronchospasm

DRUG NAME	Levothyroxine
GENERIC NAME	Synthroid
DOSAGE RANGE	By mouth Cap, tab, INJ various
HOW TO TAKE	By mouth
USES	Thyroid Disorders
SIDE EFFECTS	Appetite increase, rash
WARNINGS	Seizures

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	TAB 250 mg, 500 mg, 750 mg, 1000 mg.
HOW TO TAKE	By mouth, INJ various
USES	Seizure Disorders
SIDE EFFECTS	pain, irritability, anxiety.
WARNINGS	Depression, aggressive behavior

DRUG NAME	Miralax
GENERIC NAME	polyethylene glycol 3350
DOSAGE RANGE	By mouth
HOW TO TAKE	1 capful in 4-8 oz of liquid
USES	Constipation
SIDE EFFECTS	Cramping, diarrhea
WARNINGS	nausea, bloating, electrolyte imbalances

DRUG NAME	Ativan
GENERIC NAME	Lorazepam
DOSAGE RANGE	0.5 mg, 1 mg, 2 mg, 4 mg
HOW TO TAKE	By mouth
USES	Sleep
SIDE EFFECTS	Confusion, aggression, hallucination
WARNINGS	Overdose and death if abused.

DRUG NAME	Clozaril
GENERIC NAME	Clozapine
DOSAGE RANGE	25 mg, 100 mg
HOW TO TAKE	By mouth
USES	Schizophrenia
SIDE EFFECTS	Heartache, fever, confusion
WARNINGS	Stroke, severe constipation, seizures

DRUG NAME	Depakote
GENERIC NAME	divalproex sodium
DOSAGE RANGE	125 mg, 250 mg, 500 mg
HOW TO TAKE	By mouth
USES	Bipolar disorder
SIDE EFFECTS	Abdominal pain, heartache, dizziness
WARNINGS	Pancreatitis

DRUG NAME	Invega
GENERIC NAME	paliperidone
DOSAGE RANGE	1.5 mg, 3 mg, 6 mg, 9 mg
HOW TO TAKE	By mouth
USES	Schizophrenia
SIDE EFFECTS	Weight gain, cough, anxiety
WARNINGS	Seizures

DRUG NAME	Seroquel
GENERIC NAME	Quetiapine
DOSAGE RANGE	25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg
HOW TO TAKE	By mouth
USES	Bipolar disorder
SIDE EFFECTS	Back pain, anemia, blurred vision
WARNINGS	Suicidality

