

Kayla France

DMA TRAINING LIST OF MEDICATIONS TO COMPLETE FOR DMA TRAINING

Use the attached forms to look up each of the medications listed below. Each line must be completed and turned in the day that you do your final DMA Evaluation with your ROM (Regional Operation Manager) for your area. You will not be able to become DMA certified until all of the forms are completed [48]
See slide 65 in DMA Packette

Mental Illness Anxiety Disorders	Inhalers Allergy / Asthma	Hyperlipidemia Statins	Diabetes Endocrine & Metabolic
Abilify Ativan Clozaril Depakote Haldol Invega Klonopin Lamictal Lithium Risperdal Seroquel Tripleptal Zyprexa	Advair Discus Atrovent Flonase Flovent Loratadine Proventil	Crestor Lipitor Zocor	Apidra Byetta Glucophage Glyburide Lantus Levemir Levothyroxine Novolog Synthroid
Seizures	Gastrointestinal Disorder Constipation	Blood Pressure Meds	Pain & Inflammation
Dilantin Keppra Neurontin Topamax	Colace Miralex Prilosec Protonix Zantac	HCTZ (hydrochlorothiazide) Lisinopril Toprol Tenormin	Flexeril Motrin Norco Tylenol with Codeine Ultram

App/Website: Epocrates

Please complete 10 of the above medications prior to attending DMA class.

DMA Code #1

0487

DMA Code #2

8899

DMA Code #3

2764

DRUG NAME	Klonopin
GENERIC NAME	Clonazepam
DOSAGE RANGE	0.5, 1, 2mg
HOW TO TAKE	by mouth
USES	Seizure disorder, Panic disorder, anxiety, Sleep
SIDE EFFECTS	weak or Shallow breathing, thoughts of terrors
WARNINGS	addiction, abuse, misuse, dependence. Suicide.

DRUG NAME	Zocor
GENERIC NAME	Simvastatin
DOSAGE RANGE	5, 10, 20, 40, 80mg
HOW TO TAKE	by mouth
USES	lower blood levels of "bad" cholesterol
SIDE EFFECTS	muscle weakness, trouble lifting arms, liver problems
WARNINGS	breakdown of skeletal muscle tissue.

DRUG NAME	Keppra
GENERIC NAME	levetiracetam
DOSAGE RANGE	250, 500, 750, 1000mg. SOL: 100mg per ml, Inj, Various
HOW TO TAKE	oral / Injection
USES	treat seizures
SIDE EFFECTS	Skin rash, loss of appetite, infection, aggressive
WARNINGS	May have thoughts of suicide. Seizures may increase.

DRUG NAME	Zantac
GENERIC NAME	famotidine
DOSAGE RANGE	5-10mg
HOW TO TAKE	by mouth
USES	relieving and preventing heartburn.
SIDE EFFECTS	Constipation, fatigue, weakness, headache
WARNINGS	Confusion, seizures, tiredness

DRUG NAME	Flonase
GENERIC NAME	Fluticasone Propionate nasal
DOSAGE RANGE	2 actuations per nostril. 4max
HOW TO TAKE	nasal spray
USES	allergy
SIDE EFFECTS	nose bleed, cough, sores, vomiting
WARNINGS	fever, chills

DRUG NAME	Byetta
GENERIC NAME	exenatide
DOSAGE RANGE	5mcg, 10mcg Per Injection
HOW TO TAKE	Injection
USES	helps control blood sugar levels
SIDE EFFECTS	vomiting, diarrhea, itching
WARNINGS	thyroid cancer risk

DRUG NAME	miralax
GENERIC NAME	Polyethylene glycol
DOSAGE RANGE	1 capful. max 1 capful or PKT/day
HOW TO TAKE	oral (powder)
USES	laxative
SIDE EFFECTS	Cramping, nausea, urticaria
WARNINGS	rectal bleeding, severe or bloody diarrhea

DRUG NAME	Flexeril
GENERIC NAME	Cyclobenzaprine
DOSAGE RANGE	5-10mg
HOW TO TAKE	by mouth
USES	muscle relaxant
SIDE EFFECTS	fast/irregular heartbeats, chest pain, sudden
WARNINGS	Hives, difficult breathing, swelling, numbness

DRUG NAME	Motrin
GENERIC NAME	Ibuprofen
DOSAGE RANGE	1-2 tabs max 6 tabs
HOW TO TAKE	by mouth
USES	Fever reduced, headache, cold, backache, toothache
SIDE EFFECTS	upset stomach, constipation, dizzy, drowsiness
WARNINGS	vision changes, shortness of breath, rapid weight bloody stool

DRUG NAME	Ultram
GENERIC NAME	tramadol
DOSAGE RANGE	100mg - 300mg per day
HOW TO TAKE	by mouth
USES	relieve pain
SIDE EFFECTS	nausea, diarrhea, sweating, anxiety
WARNINGS	dependence (overdosing), withdrawal