

3A

For the following set of scores, compute the range, the unbiased and the biased standard deviations, and the variance. Do the exercise by hand:

- Range = 39
- Mean = 79.9
- Unbiased Standard deviation 13.10
- Biased Standard deviation 12.42
- Unbiased estimate of the Variance 171.6
- Biased Estimate of the Variance 154.49

Consider a set X of numbers

**94, 86, 72, 69, 93, 79, 55, 88, 70, 93**

Total Numbers =10

$$\text{Range} = h-l: = 94-55. R= 39$$

**Range= 39**

$$\text{Mean} = \text{Sum of X values} / N \text{ (Number of values)}$$

$$\text{Mean (Average)} = 799/10 = 79.9$$

**To find the unbiased estimate of the variance,**

Subtract the mean from each of the values =

$$[ ( 94 - 79.9 ) ^ 2 + ( 86 - 79.9 ) ^ 2 + ( 72-79.9 ) ^ 2 + ( 69-79.9 ) ^ 2 + ( 93-79.9 ) ^ 2 + ( 79-79.9 ) ^ 2 + ( 55-79.9 ) ^ 2 + ( 88-79.9 ) ^ 2 + ( 70-79.9 ) ^ 2 + ( 93-79.9 ) ^ 2 ]$$

Square all the answers you have got from subtraction.

$$14.10^2, 6.09^2, 7.90^2, 10.90^2, 13.10^2, .90^2, 24.90^2, 8.09^2, 9.90^2, 13.10^2$$

Add all the squared numbers and divide the sum by n-1 or 5145/9

$$\underline{198.81 + 37.21+ 62.41+ 118.81+ 171.61+ 0.81+ 620.01+ 65.61 + 98.01 + 171.61= 1545}$$

n

n-1

**171.66**

**Unbiased estimate of the variance= 171.66**

**The Biased Estimate =154.5**

Divide the sum of squares by n =1545/10 =154.45

$$\frac{198.81 + 37.21 + 62.41 + 118.81 + 171.61 + 0.81 + 620.01 + 65.61 + 98.01 + 171.61}{10} = 154.45$$

**Unbiased Standard deviation= variance  $\sqrt{171.66}$ = 13.10**

Biased Standard deviation = the square root of biased estimate=  $\sqrt{154.45}$  12.42

---

**WEEK THREE ASSIGNMENTS**


**DANNETTA SPARKS**

**3B**

6. For each of the following, indicate whether you would use a pie, line, or bar chart and why.

- a. The proportion of freshmen, sophomores, juniors, and seniors in a particular university.

I would use a pie chart here because I want to show the proportion of each level of students in the universit . A pie chart is used to show the proportion of an item that makes up a series of data points (Salkind. 2017. p. 70).



- b. Change in temperature over a 24-hour period.

I would use a line chart here to show the change in the temperature over 24 hours because I want to show a trend over 24 hours and a line chart is used to show a trend in the data at equal intervals, such as a trend over time. ( P. 70).



C. Number of applicants for four different jobs.

I would use the bar chart because although a bar or column chart is used to compare the frequencies of different categories with one another, in the bar chart categories are organized horizontally on the x-axis, and values are shown vertically on the y-axis (P. 69). In the column chart, which is identical to the bar chart, except that the categories are organized on the y-axis (which is the vertical one), and values are shown on the x-axis (the horizontal one).



d. Percentage of test takers who passed.

I would use a pie chart here because I want to show the categories of test-takers in proportion to each other so, a pie chart is used to show the proportion of an item that makes up a series of data points (p. 70).



e. Number of scores in each of 10 categories.

I would use a bar chart here because it is used to compare the frequencies of different categories with one another (p. 69).



## References

*Salkind, N. J. (2017). Statistics for People Who (Think They) Hate Statistics*

SAGE. Thousand Oaks, CA