

BEEBE HEALTHCARE
MARGARET H. ROLLINS SCHOOL OF NURSING
NURSING 101 - FOUNDATIONS OF NURSING

13. Elixir of Acetaminophen 120 mg per 5 mL is on hand. Ordered is 300 mg. How much will you administer?
Round to the nearest tenth.

14. The physician orders 2.8 mg of Dexamethasone every six hours. A 10 mL vial of Dexamethasone contains 4 mg with a dosage strength of 0.4 mg per mL. How much medication needs to be given to administer the ordered dose?

15. The physician orders 250 mg of Ampicillin every 6 hours. Available is a 1 gm vial with the dilution instructions to add 9.6 mL of NS to produce a solution strength of 100 mg per mL. How much medication do you need to give to administer the ordered dose?
Round to the nearest tenth.

16. Ampicillin suspension is labeled 125 mg per 5 mL. How much medication do you need

BEEBE HEALTHCARE
MARGARET H. ROLLINS SCHOOL OF NURSING
NURSING 101 - FOUNDATIONS OF NURSING

to administer 250 mg?

17. The drug label reads Sulfisoxazole 1 g per 10 mL. How much medication do you need to give to administer 250 mg?
Round to the nearest tenth.

18. Morphine sulfate 15 mg is ordered. The drug label reads morphine sulfate 30 mg per mL.
How much medication do you need to give to administer the ordered dose?
Round to the nearest tenth.