

## Cardiac Assessment Definition Match

\_\_\_\_ Thrill

**F.** Turbulent sounds occurring between normal heart sounds. Characterized by loudness, pitch, shape, duration. Graded I-VI

**L** 3<sup>rd</sup> Heart Sound

**D.** Small red streaks under fingernails

\_\_\_\_ Troponins

**G.** HR > 100

**N** HDL

**E.** HR < 60

\_\_\_\_ Heart murmurs

**B.** The amount of blood pumped by each ventricle in 1 min. Calculated by Stroke Volume X HR

\_\_\_\_ Splinter hemorrhages

**M.** Peripheral resistance against which the left ventricle must pump

**G** Tachycardia

**A.** Turbulent flow through artery caused by aneurysm or arterial obstruction

**E** Bradycardia

**I.** Contractile proteins released after MI. Both T and I samples test for cardiac injury/ischemia

**A** Arterial bruit

**L.** Extra heart sound heard in EARLY diastole, similar to the sound of a gallop. Causes include Left Ventricular failure, volume overload, aortic or tricuspid regurgitation

**J** LDL

**K.** Alteration of spine often in elderly resulting in altered chest landmarks, auscultation, and percussion

**B** Cardiac Output

**C.** The volume of blood stretching the ventricles at the end of diastole before the next contraction

**K** Kyphosis

**H.** Vibration of vessel or chest

\_\_\_\_ Preload

**N.** Lipoprotein considered to be the “good cholesterol”

\_\_\_\_ Afterload

**J.** Lipoprotein considered to be “lethal cholesterol”