

## Cardiac Assessment Definition Match

\_\_H\_\_ Thrill

~~F. Turbulent sounds occurring between normal heart sounds. Characterized by loudness, pitch, shape, duration. Graded I-VI~~

\_\_K\_\_ 3<sup>rd</sup> Heart Sound

~~D. Small red streaks under fingernails~~

\_\_I\_\_ Troponins

~~G. HR > 100~~

\_\_N\_\_ HDL

~~E. HR < 60~~

\_\_F\_\_ Heart murmurs

~~B. The amount of blood pumped by each ventricle in 1 min. Calculated by Stroke Volume X HR~~

\_\_D\_\_ Splinter hemorrhages

~~M. Peripheral resistance against which the left ventricle must pump~~

\_\_G\_\_ Tachycardia

~~A. Turbulent flow through artery caused by aneurysm or arterial obstruction~~

\_\_E\_\_ Bradycardia

~~I. Contractile proteins released after MI. Both T and I samples test for cardiac injury/ischemia~~

\_\_A\_\_ Arterial bruit

~~K. Extra heart sound heard in EARLY diastole, similar to the sound of a gallop. Causes include Left Ventricular failure, volume overload, aortic or tricuspid regurgitation~~

\_\_J\_\_ LDL

~~L. Alteration of spine often in elderly resulting in altered chest landmarks, auscultation, and percussion~~

\_\_B\_\_ Cardiac Output

~~C. The volume of blood stretching the ventricles at the end of diastole before the next contraction~~

\_\_L\_\_ Kyphosis

~~H. Vibration of vessel or chest~~

\_\_C\_\_ Preload

~~N. Lipoprotein considered to be the "good cholesterol"~~

\_\_M\_\_ Afterload

~~J. Lipoprotein considered to be the "lethal cholesterol"~~