

Immunology Class Preparation

Madison Barber

1. Label each example as either active or passive immunity:
 - a. Antibodies are passed from the mother to the fetus: **Passive**
 - b. Antibodies are produced after exposure to a killed virus: **Active**
 - c. Antibodies are produced after an infection: **Active**
 - d. Antibodies are administered in the form of immune globulins: **Passive**

2. A nurse is assessing a client for HIV. The nurse should identify which of the following risk factors associated with this virus? Select all that apply.
 - a. **Perinatal exposure**
 - b. Monogamous partner
 - c. Blood transfusion
 - d. **Occupational exposure**

3. A nurse in an outpatient clinic is assessing a clinic who reports night sweats, fatigue, cough, nausea, diarrhea and has a temperature of 38.1° C (100.6° F). The client is concerned about the possibility of having HIV. Which actions should the nurse take? Select all that apply.
 - a. **Perform a physical assessment**
 - b. **Determine when the manifestations began**
 - c. Request a prescription for an antibiotic
 - d. Request a prescription for HIV testing
 - e. **Obtain a sexual history**

4. List three effects of aging on the immune system:
 - a. Elderly are more susceptible to infections that they were immune to in their younger years.
 - b. The thymus shrinks with age, which means a decreased amount of T cells. These cells help to protect the body from infections and diseases.
 - c. Delayed hypersensitivity reaction

5. Match the type of hypersensitivity reaction to the characteristics:

Type I: IgE-Mediated __A__	A. Caused by pollen, food, drugs, dust, immediate reaction, allergic rhinitis, atopic dermatitis, skin test shows wheal and flare
Type II: Cytotoxic C____	B. Occurs when T cells attack antigens or release cytokines, several days to occur, contact dermatitis
Type III: Immune- Complex _D__	C. Caused by ABO incompatibility blood transfusion reaction, occurs in minutes to hours, activates
Type IV: Delayed Hypersensitivity __B__	D. Caused by fungal, viral, or bacterial antigens, takes hours to days to develop, rheumatoid arthritis, systemic lupus erythema complement system and leads to cell lysis and acute kidney injury

